

# STORMWATER MANAGEMENT PLAN

FOR

TOWN OF ELIOT, MAINE



MS4 General Permit Effective July 1, 2022  
Initially Submitted to Maine DEP March 23, 2021  
Final Submittal to address DEP comments August 16, 2021  
Updated 6/13/2022 to reflect incorporate Permit Modification and May 18, 2022  
Department Order  
Updated August 2023

Table of Contents

1 INTRODUCTION .....4

1.1 Overview of Regulatory Program.....4

1.2 Cooperation Between Regulated Communities .....4

1.3 Stormwater Management Plan.....5

1.4 Water Quality and Discharges to Impaired Waters .....6

    1.4.1 State Water Quality Assessments.....7

    1.4.2 Eliot Water Quality Status.....9

    1.4.3 Impaired Waters Addressed in this SWMP.....14

1.5 Priority Watersheds .....14

1.6 Obtaining Coverage to Discharge.....16

1.7 SWMP Availability .....17

1.8 SWMP Modifications during the Permit Cycle.....17

1.9 Annual Compliance Report and Record Keeping .....18

2 MINIMUM CONTROL MEASURES .....20

2.1 MCM 1 Education/Outreach Program .....20

    2.1.1 BMP 1.1 – Raise Awareness– General Public.....20

    2.1.2 BMP 1.2 – Raise Awareness – Municipal Staff/Boards .....22

    2.1.3 BMP 1.3 – Behavior Change Campaign – Proper disposal of commonly littered items 23

    2.1.4 BMP 1.4 – Overall Effectiveness Evaluation .....28

2.2 MCM 2 Public Involvement and Participation .....30

    2.2.1 BMP 2.1 -Public Notice Requirement .....30

    2.2.2 BMP 2.2 - Host Public Events.....30

2.3 MCM 3 Illicit Discharge Detection and Elimination .....31

    2.3.1 BMP 3.1 – Continue to Implement the Non-Stormwater Discharge Ordinance ....31

    2.3.2 BMP 3.2 – Maintain the Written IDDE Plan .....31

    2.3.3 BMP 3.3 - Maintain Storm Sewer System Infrastructure Map .....32

    2.3.4 BMP 3.4 – Conduct Infrastructure Inspections and Monitor Flowing Outfalls.....32

    2.3.5 BMP 3.5 – Conduct Investigations on suspect illicit discharges/ flowing outfalls..33

    2.3.6 BMP 3.6 – Significant Contributors of Pollutants .....33

2.4 MCM 4 Construction Site Stormwater Runoff Control .....35

    2.4.1 BMP 4.1 – Update Requirements for Erosion and Sediment Control .....35

    2.4.2 BMP 4.2 – Site Plan Review Procedures .....36

    2.4.3 BMP 4.3 – Procedures for notifying construction site developers and operators .36

    2.4.4 BMP 4.4 – Conduct and Document Construction Site Inspections.....37

2.5 MCM 5 Post-Construction Stormwater Management in New Development/ Redevelopment.38

    2.5.1 BMP 5.1 – Promote strategies to prevent or minimize water quality impacts .....38

    2.5.2 BMP 5.2 – Maintain Post Construction Ordinance or Similar Measure .....38

2.6 MCM 6 Pollution Prevention/Good Housekeeping for Municipal Operations.....40

    2.6.1 BMP 6.1 – Operations at Municipally Owned Grounds and Facilities .....40

    2.6.2 BMP 6.2 – Training.....40

2.6.3	BMP 6.3 – Continue Street Sweeping Program .....	40
2.6.4	BMP 6.4 – Cleaning of Catch Basins.....	41
2.6.5	BMP 6.5 – Maintenance and Upgrading of Storm water Conveyances/ Outfalls ..	41
2.6.6	BMP 6.6 – Stormwater Pollution Prevention Plans (SWPPPs).....	41
2.7	Impaired Waters BMPs .....	43
3	GENERAL REQUIREMENTS.....	44
3.1	Certification.....	44

**APPENDICES**

- A. Urbanized Area Map**
- B. Notice of Intent and Permittee Specific DEP Order**
- C. Summary of Public Comments Received**
- D. Education & Outreach Tools, Levels of Effort, and Effectiveness Benchmarks**
- E. IDDE Plan**
- F. Construction Inspection Form**

## 1 INTRODUCTION

### 1.1 Overview of Regulatory Program

The Town of Eliot is subject to the General Permit for the Discharge of Stormwater from Small Municipal Separate Storm Sewer Systems (MS4s) which was issued by the Maine Department of Environmental Protection (DEP) with an effective date of July 1, 2022. Because the permit is a Clean Water Act permit, it is limited to a duration of five (5) years and is due to expire on June 30, 2027. However, if the Maine DEP does not issue another Permit by June 30, 2027, the permit will be administratively continued, and the Town may need to update this Stormwater Management Plan to show what activities it will complete during the continued time period.

Communities are regulated under this program when and if they are identified as having “Urbanized Areas” in their municipal boundary. An Urbanized Area is a U.S. Census-defined term, applied to a large area (where contiguous census blocks total 50,000 people or more, regardless of municipal or geographic boundaries) that has a high population density and/or a high percentage of impervious cover (hard scape surfaces like parking lots or buildings). Both of these criteria (high population density and high percentage of impervious cover) cause an area to be at risk for adverse surface water quality impacts from polluted stormwater discharges. The Town of Eliot is part of the Urbanized Area that includes the City of Portsmouth and other New Hampshire communities as well as Kittery, York, South Berwick, and Berwick.

The U.S. Environmental Protection Agency (USEPA) and Maine DEP began regulating communities for their stormwater discharges using the Urbanized Area criteria in 2003. The Town of Eliot became regulated in 2003 based on the 2000 census.

Once a community becomes regulated by the MS4 General Permit, only the Urbanized Area portions of the town are regulated. As each U.S. Census is published, if the Urbanized Area changes (based on changes to the population or impervious cover), additional areas can be added to the regulated area only after a new MS4 General Permit is issued. Once an Urbanized Area is regulated by the MS4 General Permit, it cannot be removed from regulation, even if a subsequent census identifies it is no longer classified as an Urbanized Area. So, the area regulated by the MS4 General Permit can either grow larger or stay the same size, but it cannot become smaller. Appendix A shows the Urbanized Area that is regulated by the 2022 MS4 General Permit for the town, which is based on the combined 2000 and 2010 U.S. Census Urbanized Area data. The 2022 MS4 General Permit specifically does not include any areas identified by the 2020 U.S. Census.

### 1.2 Cooperation Between Regulated Communities

There are 30 municipalities in the State of Maine that are subject to the 2022 MS4 General

Permit. There are also two transportation agencies which are subject to their own MS4 General Permit, and eight state/federal agencies that are subject to a third MS4 General Permit (which are called “nested” MS4s). The regulated MS4s (municipal, transportation and state/federal) have a good history of cooperating on a state-wide basis to complete activities required by the General Permit such as public outreach and training as a cost saving measure and to improve the quality of compliance.

When the Town of Eliot became regulated in 2003, it joined the four other regulated communities in York County to implement some elements of the permit cooperatively. The four other communities are Berwick, South Berwick, Kittery, and York. The Towns have branded their cooperative stormwater efforts with the name, “Southern Maine Stormwater Working Group” (SMSWG, pronounced SIM-see-wig).

Similarly, the Bangor area MS4s have formed the Bangor Area Stormwater Working Group (BASWG), the Lewiston-Auburn area MS4s formed the Androscoggin Valley Stormwater Working Group (AVSWG), and the Portland Area regulated MS4s formed the Interlocal Stormwater Working Group (ISWG). For some public education requirements, all of the stormwater working groups are working cooperatively as identified in this plan.

In implementing the 2022 MS4 General Permit, the Town of Eliot works with other entities statewide and through SMSWG to complete some requirements, hires a third party-consultant to implement some requirements and implements other requirements using municipal staff. This plan describes which elements will be completed individually, regionally or as a state-wide effort.

### **1.3 Stormwater Management Plan**

Though the MS4 General Permit is a Clean Water Act Permit, it does not specify numeric effluent limitations (concentrations that a stormwater discharge must meet). Instead, the MS4 General Permit specifies narrative effluent limitations, in the form of Minimum Control Measures (MCMs).

Each of the historically issued MS4 General Permits (in 2003, 2008, 2013, and 2022) have required that the regulated MS4s develop and implement a Stormwater Management Plan (SWMP or Plan) to coincide with the effective dates of the General Permit.

This SWMP describes how the Town will implement Best Management Practices (BMPs) to meet the six MCMs, set forth in Part IV(C) of the 2022 MS4 General Permit. The six MCMs that are required to be addressed in this Plan are:

- 1 Education/Outreach Program
- 2 Public Involvement and Participation
- 3 Illicit Discharge Detection and Elimination Program
- 4 Construction Site Stormwater Runoff Control

- 5 Post-Construction Stormwater Management in New Development and Redevelopment
- 6 Pollution Prevention/Good Housekeeping for Municipal Operations

The 2022 MS4 General Permit requires that for each MCM, the Town must: define appropriate BMPs; designate a person(s) responsible for implementing each BMP; define a date or timeline with milestones for implementation of each BMP; and define measurable goals for each BMP.

The prior MS4 General Permits also required that the SWMP address these six MCMs, but the specific requirements related to each MCM have changed with each permit. In many instances, the BMPs in this plan expand upon or continue BMPs that were developed under prior General Permits.

In addition to addressing the six (6) Minimum Control Measures, the Town must address several impaired waters requirements. Sections 1.4 and 1.5 describe the water quality status in the Town, and what watersheds are considered to be priorities. Sections 1.6 through 1.9 describe how permit coverage is obtained, how the SWMP is modified (when needed), when public notice is required and annual reporting requirements.

The Maine DEP will review this Stormwater Management Plan and determine if the Town is controlling pollutants to the “Maximum Extent Practicable”. The term “Maximum Extent Practicable” is defined in the Clean Water Act. The term means available and feasible considering cost, existing technology, and logistics based on the overall purpose of the project. Effectively, the Town is allowed to consider these concepts as they select Best Management Practices (BMPs) to meet permit requirements, but the Maine DEP decides if the Town is meeting the “Maximum Extent Practicable” standard.

The SWMP is not an enforceable document however, some of its elements are enforceable as identified in The Town’s Department Order contained in Appendix B. Some flexibility is built in to the SWMP to allow communities to engage in an adaptive management approach to mitigating or eliminating the discharge of pollutants to and from its regulated small MS4. This allows the Town to adjust the SWMP and BMPs throughout the Permit Cycle if needed based on evaluations of their effectiveness, changing conditions, specific local concerns, or changes in other factors. Some SWMP Modifications require DEP review and approval and public notice. Section 1.6 Obtaining Coverage to Discharge, and Section 1.8 SWMP Modifications describe the requirements associated with modifying a SWMP.

#### **1.4 Water Quality and Discharges to Impaired Waters**

The 2022 MS4 General Permit contains the following requirements for discharges to waters that are not meeting their fishable and swimmable standards (a.k.a. impaired waters):

- (1) If the waterbody to which a point source discharge drains is impaired and has an EPA approved total maximum daily load (TMDL), then the SWMP must propose

clear, specific and measurable actions to comply with the TMDL waste load allocation (“WLA”) and any implementation plan. The GP does not authorize a direct discharge that is inconsistent with the WLA of an approved TMDL. This requirement applies only to TMDLs that were approved by EPA as of 10/15/2020.

- (2) If a TMDL is approved or modified by EPA after 10/13/2020, the Maine DEP will notify the permittee if any changes are needed to the SWMP and may take other actions regarding the approved TMDL as identified in the 2022 MS4 General Permit.
- (3) If an MS4 has a discharge to an Urban Impaired Stream, it must develop and implement three (3) BMPs to address the water’s impairment, unless the DEP has determined the MS4 discharge is not causing or contributing to the impairment.

The Fact Sheet that was issued with the 2022 MS4 General Permit also contained a strongly worded recommendation for MS4s to consult with the Maine DEP Division of Environmental Assessment regarding impaired waters that do not have approved TMDLs. The consult would be focused on identifying the root cause of the impairment and developing a strategy to reduce the discharge of pollutants of concern if the permittee is causing or contributing to the impairment.

Section 1.4.1 describes generally how the State evaluates surface waters and describes TMDL documents and Urban Impaired Streams. Section 1.4.2 describes the status of the waters that receive discharges from the Town’s MS4. Section 1.4.3 describes how the Town is addressing any impairments which have MS4 requirements.

#### **1.4.1 State Water Quality Assessments**

The State of Maine is required by the Clean Water Act to identify water quality classifications for each surface water in the State, and then to assess whether each of those waters is meeting its designated classification standards. Maine has four classifications for freshwater rivers, three classes for marine and estuarine waters, and one class for lakes and ponds. Each classification identifies a use and set of water quality standards for the water. The classifications, uses, and standards are described and assigned to the various waters in the Maine Statutes (Title 38, Sections 464 through 469).

Assessments as to whether each water is achieving its designated classification are based on data that is obtained from a number of sources depending on the type of water being assessed:

- Lakes and ponds are assessed primarily through data obtained by the DEP and regional entities and lake associations. The regional and lake association data is coordinated through the Lake Stewards of Maine (Volunteer Lake Monitoring Program).

- Marine and Estuarine waters are assessed by evaluation of data obtained from the DEP, Maine Healthy Beaches, Department of Marine Resources, Marine Environment's Gulf Watch, Gulf of Maine Council, and several other academic and non-profit organizations.
- Wetlands are assessed primarily using data obtained from the DEP Biomonitoring Program.
- Rivers and Streams are assessed using data from the DEP Biomonitoring Program, Surface Water Ambient Toxics (SWAT) Monitoring Program, the Atlantic Salmon Recovery Plan, Volunteer River Monitoring Program (VRMP) and through many other government agencies such as the Department of Inland Fisheries and Wildlife, EPA, United States Geologic Survey.

Every two years, the DEP publishes a report and list documenting the results of the assessments, and identifying which waters are meeting their designated classifications, and which are considered impaired. The report and list are called the Integrated Water Quality Report and are generally referred to by the Section of the Clean Water Act which requires them: the 305(b) report and/or the 303(d) list, respectively. There are five general status categories available for assignment to each water:


- Category 1: Attaining all designated uses and water quality standards, and no use is threatened.
- Category 2: Attains some of the designated uses; no use is threatened; and insufficient data or no data and information is available to determine if the remaining uses are attained or threatened (with presumption that all uses are attained).
- Category 3: Insufficient data and information to determine if designated uses are attained (with presumption that one or more uses may be impaired).
- Category 4: Impaired or threatened for one or more designated
  - 4A means a TMDL has already been completed
  - 4B means other pollution control measures will address impairment, so no TMDL is required to be completed
  - 4C means the impairment is not caused by a pollutant and so does not require development of a TMDL (Total Maximum Daily Load) report.
- Category 5: Waters impaired or threatened for one or more designated uses by a pollutant(s), and a TMDL report is required.

In Maine, the most current 303(d) list approved by the EPA is from the 2016 data. The Maine DEP has indicated they will issue a combined 2018/2020/2022 303(d) list sometime in 2022.

A TMDL document identifies the source(s) of the impairments and recommendations to correct the impairments. In particular, a TMDL document identifies how much of a pollutant a water body can receive and still meet its water quality classification. Typically, the units are identified as pounds per day, which is the basis for the term "Total Maximum Daily Load". TMDLs typically include a Margin of Safety between 2 and 5% of the TMDL to account for



uncertainties or lack of knowledge about the relationship between the pollutant loading and water quality.



**Total Maximum Daily Load (TMDL) Components**

In addition to the Maine 305(b) report and 303(d) list, Maine has developed a special rule, Chapter 502, which has restrictions related to Direct Watersheds of Lakes Most at Risk from New Development and Urban Impaired Streams. This rule became effective in 1997 and has been modified several times over the years. The rule defines an Urban Impaired Stream as a stream that fails to meet its water quality standards because of effects of stormwater runoff from developed land. The rule imposes additional stormwater treatment controls on development in the watersheds of Urban Impaired Streams.

### 1.4.2 Eliot Water Quality Status

This section provides a summary of the waters in the Town’s Urbanized Area that receive point source discharges from the Town’s MS4 and each waterbody’s TMDL and impairment status. Table 1 shows the waters where the Town has MS4 discharges and their impairment status. The Table shows the number of MS4 outfalls (in parentheses) that discharge to each waterbody as of March 2021.

The following documents were reviewed developing Table 1:

- Piscataqua River Estuary TMDL (1999)
- Statewide Bacteria TMDL (September 2009 and 2013 Addendum)

- Impervious Cover TMDL (September 2012)
- Non-Point Source TMDL (2015)
- Final 2016 Maine Integrated Water Quality Report and Appendices (a.k.a. Maine 305(b) Report and 303(d) list) Note that the DEP has indicated they will not issue a 2018 303(d) report, rather they will be issuing a combined 2018/2020/2022 303(d) report.
- USEPA and Maine DEP approved TMDL lists
- Chapter 502 Direct Watersheds of Lakes Most at Risk from New Development and Urban Impaired Streams

Figure 1 shows the locations of the fresh waters and their status according to the 2016 303(d) list.





Figure 1 Eliot has no freshwater impairments

**Table 1 Status of Waterbodies Receiving MS4 Discharges – Eliot Maine**

<b>Water bodies with MS4 discharges (# outfalls)</b>	<b>Maine DEP classification and numeric designation</b>	<b>DMR Area</b>	<b>Completed TMDLs</b>	<b>Urban Impaired Streams (Chapter 502)</b>	<b>Non-TMDL listing in 2016 303(d) list</b>	<b>Watershed Management Plan / Other Water Quality Document</b>
Piscataqua River Estuary, including Spinney Creek, Sturgeon Creek, Stacey Creek, And Adlington Creek (All MS4 outfalls)	812-2 SB/SC	WA (was Pollution Area 1)	Piscataqua River Estuary (1999)	None	Cat. 5-B-1 Bacteria Only 2017-2020 Shellfishing Prohibited Area  And 4A Needs TMDL for Marine Life Use Support (Eelgrass)	None


Figures 2a, and 2b show the status of marine waters according to the Department of Marine Resources as of 3/1/2021. Because DMR updated their designations and naming structure on 3/1/2021, the Figures reflect the new designations and naming structure and Table 1 shows both the new designation and the old DMR designation that was in effect when the 2022 MS4 General Permit was finalized on 10/15/2020. These areas are also listed under their old designations on the 2016 Maine DEP 303(d) list for elevated bacteria concentrations. The Maine DEP does not otherwise provide graphic representation of the locations of the marine/estuarine waters that are listed as impaired in the 2016 303(d) list.

Figure 2a – DMR Area WA (as of March 2021)



This map is provided as a courtesy. Read the provided legal notice for closure details. Closures are not shown outside of the designated growing area. Any navigation aids shown are not suitable for maritime navigation.

Figure 2b DMR Area WA Inset A Spinney Creek Area



This map is provided as a courtesy. Read the provided legal notice for closure details. Closures are not shown outside of the designated growing area. Any navigation aids shown are not suitable for maritime navigation.

Figure 3 – Overview map of Urbanized Area and Outfall Locations




Table 1 shows the Town does not have any Urban Impaired Streams, but that all of its MS4 outfall discharge directly or indirectly to the Piscataqua River Estuary, which has a 1999 TMDL for Dissolved Oxygen. This water body is also considered DMR Growing Area WA, which is listed as impaired for shellfishing due to bacteria only, but no TMDL is applicable. The Piscataqua River Estuary used to be listed in the 2009 Bacteria TMDL but was re-categorized in 2016. The recategorization is temporary until the Maine DEP can re-issue the Bacteria TMDL.

### **1.4.3 Impaired Waters Addressed in this SWMP**

Because the Town does not discharge to any Urban Impaired Streams no BMPs or action need to be implemented regarding these waters.

The 1999 Piscataqua River Estuary TMDL for Dissolved Oxygen did not identify any WLA or implementation plan regarding stormwater discharges, so no BMPs or actions need to be implemented for that water.

As stated in the 2022 MS4 General Permit Fact Sheet, the Town consulted with the Maine DEP Division of Environmental Assessment to understand if any action needed to be taken to address discharges to the Piscataqua River Estuary through the MS4 Permit.

The consultation with Maine DEP revealed:

1. The DEP has not fully specified the root cause of the impairments but suspects that stormwater is a contributing factor.
2. That implementation of the IDDE elements of the MS4 General Permit (conducting outfall inspections, sampling outfalls during dry weather flow, and completing IDDE investigations to eliminate any bacterial sources), are sufficient to address the impairment until such time as the Bacteria TMDL document can be updated, or any other TMDL can be created.

### **1.5 Priority Watersheds**

Previous MS4 General Permits required that regulated MS4s identify a Priority Watershed and apply BMPs to that Watershed. The 2022 MS4 General Permit does not contain any specific requirements related to Priority Watersheds. However, it does require that an MS4 have a procedure in place to prioritize watersheds when addressing illicit discharges. The Town of Eliot uses this prioritization to identify where illicit discharge inspections are conducted first. The Town may also use the prioritization for illicit discharge investigations in the event there were insufficient resources to address all potential illicit discharges simultaneously. The IDDE Plan describes in more detail how the prioritization is applied.

The Maine DEP maintains a list of waters that are vulnerable to non-point source pollution, which is then available to receive grant funding under Sections 308(b) and 319 of the Clean Water Act as long as the funding is not used to satisfy the conditions of a Clean Water Act

Permit (such as the 2022 MS4 General Permit). The list includes the MS4’s “Priority Watershed”.

MS4s should keep in mind that they may not use 319 grant funding to implement any BMPs required by the MS4 General Permit.

Over 95% of the Urbanized Area is contained within the watershed called, Hampton River Frontal Atlantic Ocean (HUC 0106000310).

Therefore, the town’s priority watershed is the Hampton River Frontal Atlantic Ocean Watershed. This Watershed contains the Piscataqua River Estuary, and the Portsmouth Harbor Subwatershed.

Spinney Creek is the Town’s priority Water body, because of its use for shell fishing. In addition, this waterbody is being target by local citizens for development of a Watershed Management Plan.

The remaining ~5% of the Urbanized Area is contained in the Salmon Falls River Watershed (HUC 0106000305), and Lower Salmon Falls River Subwatershed at the very north end of Town. There are no MS4 outfalls to this area of the River, because all the land and roads in the are private.

---

*Watersheds, subwatersheds and drainage areas are described using a national naming and numbering system. Watersheds are described using a 10-digit Hydrologic Unit Code (HUC). Watersheds are divided into smaller divisions called subwatersheds and are numbered by retaining the 10-digit HUC from the watershed and adding two additional digits to form a resultant 12-digit HUC. National HUC data sets end with the 12-digit HUC subwatersheds. Municipalities and/or states typically subdivide the subwatersheds into smaller drainage areas, again retaining the 12-digit HUC of the parent subwatershed and adding two more digits.*

---




Figure 4 – Watershed and Subwatersheds in Eliot

### 1.6 Obtaining Coverage to Discharge

As required, a Notice of Intent (NOI) to comply with the 2022 MS4 General Permit was submitted to the Maine DEP with this SWMP. A copy of the Town’s NOI is provided in Appendix B.



30-day Public Notice was provided by both the Maine DEP and the Town to allow the public to comment on the SWMP. A copy of the Public Notice provided by the Town is contained in Appendix B.

Following review of the SWMP and NOI, and receipt of any public comments, the Maine DEP issues a permittee specific DEP Order, establishing terms and conditions that are enforceable in addition to the language in the 2022 MS4 General Permit which is also enforceable.

The permittee specific DEP Order was also subject to a 30-day public comment period by DEP. This Town's DEP Order was issued for public comment in November 2021, was modified by DEP based on comments received and was re-issued for public comment in March 2022.

After the public comment period ended, and the DEP finalized the DEP Order based on any comments received, the Town had 60 days to update the SWMP to reflect any new or changed requirements based on the DEP Order and any comments. This SWMP has been updated to reflect any public comments. Maine DEP did request that this SWMP be resubmitted to them.

Appendix B contains the Final permittee specific DEP Order and shows the comments received and the DEP responses to comments. Appendix C contains the comments received from the public along with any notes on how the comments were addressed in the SWMP.

Additional Annual updates are available on the Town's website.

### **1.7 SWMP Availability**

The SWMP must be made available to the public by publishing on the Town Website. A copy must also be made available to the public at Town Hall.

If any of the following entities request a copy, one must be made immediately available to them:

- a) USEPA or Maine DEP,
- b) Any interconnected or adjacent MS4,
- c) Any owner or operator of a water supply company where the MS4 discharges to a water supply watershed, or
- d) Members of the public.

### **1.8 SWMP Modifications during the Permit Cycle**

During the permit term (2022 to 2027), the SWMP must be kept current. As required by the 2022 MS4 General Permit, the Town will amend the SWMP if the Maine DEP or the Town determine that:

- a) The actions required by the BMPs fail to control pollutants to the meet the terms and

- conditions of the 2022 MS4 General Permit and the permittee specific DEP Order;
- b) The BMPs do not prevent the potential for a significant contribution of pollutants to waters of the State other than groundwater; or
  - c) New information results in a shift in the SWMP's priorities.

If the changes are initiated by the Maine DEP, it will notify the Town, and the Town must respond in writing within 30 days of the notice explaining how it will modify the SWMP. The Town must then modify the SWMP within 90 calendar days of the Town's written response, or within 120 calendar days of the DEP notice (whichever is less). Any such modification must be submitted to the DEP for final review.

If the changes are initiated by the Town, the following processes apply (depending on the nature of the change as identified below):

- To modify any schedule identified in the permittee specific DEP Order, the permittee must file an application on a DEP form with the Department that includes a justification to formally modify the original permittee-specific DEP Order.
- The permittee must allow the public the opportunity to comment on changes made to the SWMP a minimum of once per year.
- For BMPs in the SWMP that are not required to comply with the General Permit or the permittee specific DEP Order, the BMPs and/or implementation schedule may be amended as appropriate without the need for public comment. Changes must be submitted to the Department in the Annual Report following the permit year the change(s) were made.

### **1.9 Annual Compliance Report and Record Keeping**

By September 15 of each year, the Town will electronically submit an Annual Compliance Report for the Maine DEP's review using a standardized form provided by the Maine DEP or an alternate form reviewed and approved by Maine DEP. The Annual Compliance Report must be sent via email to the Municipal Stormwater Coordinator. As of April 2022, the Maine DEP Municipal Stormwater Coordinator is:

[Holliday.Keen@maine.gov](mailto:Holliday.Keen@maine.gov)

**Municipal/Industrial Stormwater Coordinator  
Department of Environmental Protection  
17 State House Station  
Augusta, Maine 04333-0017**

The Annual Compliance Report must include the following:

- a. The status of compliance with the terms and conditions of the 2022 MS4 General Permit and the Town's permittee specific DEP Order, based on the implementation of the Town's Plan for each permit year, an assessment of the effectiveness of the components of its stormwater management program, an assessment of the appropriateness of identified BMPs, progress towards achieving identified measurable goals for each of the MCMs and progress toward achieving the goal of reducing the discharge of pollutants to the MEP
- b. A summary of information collected and analyzed, including monitoring data, if any, during the reporting period.
- c. A summary of the stormwater activities the Town intends to undertake pursuant to its Plan to comply with the terms and conditions of the 2022 MS4 General Permit and the Town's permittee specific DEP Order during the next reporting cycle.
- d. A change in any identified BMPs or measurable goals that apply to the Plan.
- e. A description of the activities, progress, and accomplishments for each of the MCMs #1 through #6 including such items as the status of education and outreach efforts, public involvement activities, stormwater mapping efforts, the number of visual dry weather inspections performed, the number of inaccessible and new outfalls, dry weather flow sampling events and laboratory results, detected illicit discharges, detected illicit connections, illicit discharges that were eliminated, construction site inspections, number and nature of enforcement actions, post construction BMP status and inspections, the number of functioning post construction BMPs, the number of post construction sites requiring maintenance or remedial action, the status of the permittee's good housekeeping/pollution prevention program including the percentage of catch basins cleaned, those catch basins cleaned multiple times and the number of catch basins that could not be evaluated for structural condition in a safe manner. Where applicable, the MS4 must quantify steps/measures/activities taken to comply with the 2022 MS4 General Permit and its Plan including reporting on the types of trainings presented, the number of municipal and contract staff that received training, the length of the training and training content delivered as well as any revisions to the SWPPP procedures and/or changes in municipal operations.

The Maine DEP will review the annual reports and provide comments to the MS4s. Changes to the report based on the Maine DEP's review comment(s) must be submitted to the Department within 60 days of the receipt of the comment(s).

The regulated MS4s must keep records required by the 2022 MS4 General Permit and permittee specific DEP Order for at least three (3) years following its expiration or longer if requested by the Maine DEP Commissioner. The regulated MS4s must make records, including this Plan, available to the public at reasonable times during regular business hours.

## 2 MINIMUM CONTROL MEASURES

### 2.1 MCM 1 Education/Outreach Program

The 2022 MS4 General Permit requires the Towns develop two Education/Outreach Campaigns to address stormwater issues of significance:

1. An Outreach to Raise Awareness Campaign targeted at two audiences: one target audience must be the general public, and the second audience may be selected from: municipal, commercial, development/construction or institutions. A minimum of three tools must be directed at each audience each year.
2. An Outreach to Change Behavior Campaign promoting one behavior change targeted at two audiences. A minimum of three (3) outreach tools must be directed at each audience each year to promote and reinforce desirable behaviors (designed to reduce stormwater pollution).

In 2018, ISWG executed a statewide survey around public awareness of stormwater issues and behaviors that impact stormwater. The survey results were summarized in the SMSWG Permit Year 5 (2017-2018) annual report. The SMSWG communities discussed the results of the statewide survey, reviewed water quality status related to stormwater issues, considered their first-hand knowledge of their communities, and the needs for public education around stormwater at four of their regional meetings (9/26/2018, 5/29/2019, 7/31/2019, and 9/30/2020) before deciding what issues of significance to address, and what tools and messages might be effective. Each of the BMPs provides a brief introductory section describing the rationale for the selection of the BMP based on the SMSWG communities' understanding of their areas.

The SMSWG towns will cooperate regionally and with the ISWG to complete the requirements of the Education/ Outreach Program. The Towns will fulfill the requirements of this MCM by implementing the following BMPs.

#### 2.1.1 BMP 1.1 – Raise Awareness– General Public.

**Responsible Party – Public Works Director (with implementation assistance from a cooperative ISWG/SMSWG effort)**

The 2022 MS4 General Permit requires the permittee to raise awareness of the public as well as one of the following groups: municipal, commercial, development/construction, or institutions. Measurable Goal 1.1a describes the actions the Town will take to raise awareness of the public, and Measurable Goal 1.1b describes the action the Town will take to raise awareness of municipal staff and board members. Rationale for the selection of the target audiences is provided here also.

*Background for Measurable Goal 1.1a Public Audience:* The Think Blue Maine campaign began in 2003 as a statewide effort to raise awareness of common stormwater pollutants and ways to prevent those pollutants. The Think Blue Maine campaign has been historically successful in increasing awareness of stormwater issues. ISWG, AVSWG, and SMSWG coordinate their Think Blue Maine messaging and education efforts to provide consistent messaging in Southern Maine. In addition, the Massachusetts and New Hampshire small MS4s are using similar Think Blue campaigns, so there is some regionally consistent messaging in circulation.

In 2018, the ISWG executed a statewide survey around public awareness of stormwater issues and behaviors that impact stormwater. Only 15 of the survey respondents in the SMSWG region were ages 25 to 34, but all of them stated it was “very important to have clean water in the lakes and streams in [their] community”, and 12 of them believe that stormwater runoff has a major impact or somewhat impacts water quality. As was true of the ISWG demographic in this age group, 47% of SMSWG respondents ages 25 to 34 were able to correctly describe what happens to stormwater at their residence. Because this age group has not been targeted before and has potential to impact stormwater for many years in the future, the ISWG, AVSWG, and SMSWG communities will cooperatively use the Think Blue Maine campaign to raise their awareness of stormwater issues. This will increase their likelihood to implement beneficial behavior change in the future.

Measurable Goal 1.1a – The Town will implement the following program which is designed to raise 15% of the target audience’s awareness of what happens to stormwater at their residence or place of work. According to the 2019 US Census Bureau, the SMSWG region’s population for ages 25 to 34 is approximately 4,100 people, 15% of the target audience is approximately 600 people.

**Target Audience:** People 25 to 34 in the SMSWG region

**Overarching Message:** “Water that lands on our roads, roofs, and other hard surfaces picks up pollutants and carries them to our local waterbodies without being treated.” This message will be presented with variations based on target audience interests and outreach tools used.

**Outreach Tools:** A minimum of three outreach tools will be selected from Appendix D Table 1 each year. Each tool will be assessed and customized based on the target audience’s receptiveness to the method. Any tool used in a given year will be tailored to the message of the relevant target audience subset based on common characteristics and/or demographics.

**Evaluation:** Effectiveness will be evaluated annually by tracking process indicators<sup>1</sup> for each tool implemented that year and by tracking impact indicators<sup>2</sup> where available (see Appendix D Table 1).

**Implementation schedule:** A minimum of three of the tools from Appendix D Table 1 will be implemented each year for the duration of the permit.

**Adaptive Management:** Tools and messaging will be reviewed and evaluated on an

---

<sup>1</sup> Indicators related to the execution of the outreach program.

<sup>2</sup> Indicators related to the achievement of the goals or objectives of the program.

annual basis at a minimum for the MS4 Annual Report. To address emerging issues, opportunistic tools and outreach may also be implemented. Seasonal messaging and tool adjustments will be used when applicable. Annual Report findings will be incorporated into ISWG meeting discussions as well as annual workplans and budgets and reported out to SMSWG for inclusion in the SMSWG Town's Annual Reports.

## **2.1.2 BMP 1.2 – Raise Awareness – Municipal Staff/Boards**

### **Responsible Party – Public Works Director**

Measurable Goal 1.2a – During the 2013-2022 MS4 Permit Cycle, the Town implemented a permit awareness plan targeting municipal boards and staff. The Town identified in its final assessment (submitted to Maine DEP in PY5) that because of Board and staff turnover, the awareness program is very important. The final assessment for the prior permit cycle is being used as the baseline assessment for this permit cycle.

Target Audience: The Town will continue to raise awareness of the MS4 Program targeting one Board per year (either the Planning Board or the Select Board/Town Council) and any new Town Manager, Planner, Public Works Director or Code Enforcement Officer.

Message: The Staff and/or Board's Role is important in implementing the MS4 Program and protecting waters from stormwater pollution.

Schedule: The following tools will be used each year to implement this BMP.

Tool 1 Fact Sheet: The Responsible Party for this MCM will review a Town-specific MS4 Fact Sheet and update it if needed. The Fact Sheet will be maintained on the Town's stormwater web page and used in Tools 2 and/or 3 if deemed appropriate by the Responsible Party.

Tool 2 Meeting or Materials: The Responsible Party for this MCM will either attend or provide written materials to a Planning Board or Town Council/Select Board for their consideration at a meeting. Topics that may be covered include: (a) the MS4 Program in general, or (b) a specific element of the MS4 program pertinent to the Board, or (c) an invitation to a public participation event (BMP 2.2).

Tool 3 New Staff: Whenever a new Town Manager, Planner, Public Works Director or Code Enforcement Officer is hired the Responsible Party for this MCM will meet with or provide written materials to the new staff member to review their responsibilities related to the 2022 MS4 General Permit.

Effectiveness Benchmark (e.g., the target for awareness): Effectiveness will be evaluated annually by tracking the process indicators for each tool, and by tracking impact indicators where available. The Measurable Goal will be considered effective if the following occur:

- Tool 1: The Fact sheet is reviewed and updated if needed
- Tool 2: If the engagement by the board members during a presentation (or discussion of written materials) indicates they understand their role is important in implementing the MS4 Program, or by the number of board members that attend the BMP 2.2 Public Participation event (if invited)
- Tool 3: If any new staff are hired: the meeting occurs, or the written materials are provided, and the new staff indicate they understand their MS4 responsibilities.

### **2.1.3 BMP 1.3 – Behavior Change Campaign – Proper disposal of commonly littered items**

#### **Responsible Party – Public Works Director**

The SMSWG communities selected proper disposal of litter as their primary behavior change goal with a focus on proper disposal of cigarette butts and pet waste for the following reasons:

1. **Litter is a nationally recognized issue related to stormwater** – litter carries pollutants with it and many forms of litter are harmful to aquatic life. Cigarette butts contain carcinogenic substances, and non-biodegradable elements that can be ingested by aquatic life. Pet waste carries high concentrations of nutrients including bacteria and nitrogen. And purchased food wrappers and containers are typically plastic or paper which do not biodegrade and contains some excess or residual food item which contains nutrients.
2. **Supported by Maine Statewide Stormwater Survey** - The Maine Statewide Stormwater Survey conducted in Permit Year 5 of the previous cycle identified that 80% of survey respondents are aware that pet waste trash is a common stormwater pollutant, and 92% are aware that trash is a common stormwater pollutant, and they believe that picking these items up and putting them in the trash can reduce water pollution. Their awareness of these issues makes behavior changes more likely to be implemented (people must be aware of a problem before they are likely to take steps to help correct the problem).
3. **National Study Data for cigarette butts** - Keep America Beautiful prepared a detailed study called Littering in America (2009) with a companion document, National Visible Litter Survey and Cost Study (2009). This was the first national study of littering since 1969, and while overall littering had decreased significantly, there is still a lot of littering going on. The SMSWG communities reviewed the studies to identify sources of pollutants and target audiences that could benefit from public education activities. In particular, the following findings lead the SMSWG communities to identify the target audiences and messaging shown in Measurable Goals 1.3a and 1.3b:
  - Cigarette butts are the number one littered item on roadways and in storm drains and the number one or two littered item in non-roadway areas (such as recreational areas, retail areas, construction sites, and transition points like building or park entrances).
  - 81% of littering behavior occurs with notable intent (primarily cigarette butts and confectionary/candy wrappers), and an individual’s awareness attitudes, and feelings of personal responsibility are most of the driving factors that lead people to litter (85%) and

these items should be addressed through targeted messaging:

- Most intentional litterers believe someone else will pick it up or believe someone else should pick it up as part of their job description, and do not understand the cost of their littering behavior.
  - Most intentional litterers also believe that cigarette butts are “natural” or “organic” and will decompose naturally. But the filters contain cellulose acetate, a form of plastic that does not biodegrade and can persist in the environment, adversely affecting marine and freshwater creatures when it reaches waterways.
- Even though the individual awareness and attitudes are 85% of the driving factors for littering, the following contextual issues also contribute to littering, and so any good reduction program should address these also:
    - the availability of receptacles is an important factor in littering behavior (where trash receptacles are more than 10 feet away from a transition point such as a building entrance, more littering is conducted).
    - The presence of existing litter makes individuals more likely to litter.
  - Age is a significant factor in intentional littering (individuals aged 30 and below are more likely to litter than older people).
  - The number of adult smokers in Maine according to the CDC [Map of Cigarette Use Among Adults | STATE System | CDC](#) is 15.4 to 18.6%. The CDC reports that 7-9% of high school students smoke in Maine.
  - Recommendations from the study included making proper disposable convenient and accessible, ensuring consistent and ongoing clean-up efforts, and using messaging that highlights social disapproval for littering and a preference for clean, litter-free communities, focusing on individual responsibility.

4. **National Study on Pet Waste Issues** - The Journal of Applied Psychology published a study (July 2006 issue, study by Paul Webley and Claire Siviter) where dog owners were observed along 8 popular dog walking paths in Lancashire, U.K. This study confirmed that although 60% of dog owners pick up after their dog, the 40% of dog owners who do not pick up after their dog do so because they believe that the feces are natural and biodegradable, and they do not understand the health and environmental impacts of leaving the feces on the ground. The study identified that the dog owners who did not pick up after themselves were more likely to believe that laws and regulations requiring them to pick up the waste were not legitimate. The study concluded that positive messaging that most dog owners pick up after their dogs would likely be effective in changing the behavior of the minority. Additionally, more current studies confirm that the belief that the feces are natural, and biodegradable is a significant contributor to individuals' justifications for not picking it up. Other barriers include belief that someone else should pick it up (it's their job, that is what I pay taxes for), or it's like fertilizer (good for the ground), or there is no access to bags or disposal sites.

5. **Pet Waste and Trash are local issues, and existing removal efforts need support** - Local efforts are in place to remove litter from beaches, ditches, roadsides, and parks in the communities.



These efforts occur annually and provide a good anecdotal and baseline information about the cigarette butt and pet waste problems in each community, but more work needs to be done to educate individuals in these communities. The following is a brief summary of the local issues identified:

- The Kittery, York, Eliot, and South Berwick Conservations Commissions were contacted in 2020 and confirmed that littering was an issue in each community, though not specifically, cigarette butts and pet waste, they identified local fast-food waste (South Berwick) and roadside beverage containers (Eliot).
- Kittery, York, Eliot, and South Berwick Conservations Commissions organize local clean up events: roadside cleanups (South Berwick) and Beach and park areas (Eliot, Kittery, and York). (Berwick does not have a conservation commission).
- The Conservation Commissions expressed an interest in partnering on public education and clean-up efforts.
- The Litterati Ap was used as a pilot to assess its usefulness and create some baseline data regarding cigarette butt issues. Though not a statistically significant data set, the following supports the national studies that show that cigarette butt littering is widespread. In addition, the Litterati Ap was easy to use and has an administrator's interface that provides summary data which will facilitate documentation of litter found and removed from the environment:
  - Berwick Town Hall: In the summer of 2020 59 pieces of litter were collected in a walk around Sullivan Square – 20 of the pieces collected were cigarette butts.
  - Berwick Town-wide: In April 2021, the Town of Berwick promoted an earth day cleanup week in which 3,869 pieces of trash were collected. Of the 686 pieces of litter that were categorized, 25% were smoking related (cigarette butts, cigar butts, or packaging).
  - Two areas of Eliot were walked in the summer of 2020 (~ 200-foot segments of two rural roads) and the areas at stop signs were identified with multiple cigarette butts.
  - For Kittery in the summer of 2020, the busy intersection of State Street and Walker Street was walked and 36 of 44 items observed were cigarette butts or packages.
  - In York in the summer of 2020, a walk along a 100-foot segment of York Street in front of Town hall identified 7 cigarette butts of 13 litter items.
- The Litterati Ap can also be used to collect and code data on pet waste and will be used to collect baseline data during Permit Year 9 of the 2013-2022 permit cycle. The following baseline data has already been collected:
  - For Kittery, in the summer of 2021, Rogers Park was walked using the Litterati Ap to document waste. Of the 61 pieces of litter collected, 4 were unbagged dog waste, 2 were bagged dog waste, one was an unused dog waste bag.
- During Permit Year 1, feedback from public use of the Litterati Ap identified an alternative litter tracking ap should be used. The spatial data previously obtained has been saved and an alternative spatial Ap will be used use.

Measurable Goal 1.3a – The Town will work toward changing the behavior of residents who smoke and intentionally litter cigarette butts using the messaging, and tools described below:

Overarching Messages: Cigarette butts do not decompose and are harmful to the environment and aquatic organisms. Cigarette butts should be disposed of as regular waste.

The specific messages used for each tool will address various barriers to understanding these concepts depending on any specific subsegment of the audience being targeted.

Schedule: Three of the following tools will be used each year to implement this BMP in each community. More than three tools are included in this Plan to allow for flexibility in implementation from year to year.

Optional Tool 1 Stencil 30 storm drains in town center, neighborhood and/or park areas.

Optional Tool 2 The SMSWG regional collaborative will create and issue four seasonal social media or website posts related to cigarette litter.

Optional Tool 3 The Town will install and ensure maintenance is conducted on at least two Sidewalk Buttlers, or similar products with messaging at targeted areas, and will create and issue informational flyers, posters, or stickers. Town may work with a retail facility and ask that they conduct maintenance on the Buttler.

Optional Tool 4 Offer 30 free automobile cigarette cup holders at Town Hall if recipients provide an email address for info on follow up to their use/effectiveness (because cars do not have ash trays).

Optional Tool 5 Create and use 3 truck magnets or bumper stickers with message for public works vehicles or other town vehicles or shrink wrap one town vehicle with message.

Optional Tool 6 Offer one local or regional workshop and training for use of litter tracking Aps to the Conservation Commission or other local interested group. The workshop may be conducted in cooperation with other SMSWG communities as long as two workshops are offered to the region each year this tool is used.

**Effectiveness Benchmarks** Each year the following process indicators will be documented for whichever corresponding tool was used (note that not all tools will be used each year):

1. The number of basins stenciled,
2. The number of social media posts made, how many people they reached, and how many engagements there were on each post,
3. Number of Sidewalk Buttlers placed and maintained, and total quantity of cigarette butts collected in Sidewalk Buttlers that are maintained by municipalities, or information on use from retailers on use (which may be qualitative),
4. Number of cigarette cup holders distributed
5. Number of magnets or bumper stickers applied and used.
6. Number of workshops held and number of attendees.

In addition to the process indicators, the Town will use the location and quantity of cigarette butts identified during the following activities to guide messaging, tool selection and use, and to assess impact:

- during catch basin cleaning
- during outfall inspections
- from the litter tracking Ap that is in use
- from MCM2 cleanup data

Based on the literature reviewed and local data collected using the Litterati Ap, it is estimated as a baseline that cigarette butts constitute approximately 25-50% of the littered items in transitional and high traffic areas. The following are examples of conditions under which tools will be deemed effective:

- if the total quantity of cigarette butts collected each year in the Sidewalk Buttlers increases
- if the total quantity of cigarette butts observed in and around stenciled catch basins or catch basins that are near any Sidewalk Buttlers decreases
- if the total quantity of cigarette butts collected during roadside and beach cleanups decreases from prior years, or decreases relative to other litter sources (e.g., if cigarette butts begin constituting a smaller relative portion of littered items).

Measurable Goal 1.3b – The Town will work toward changing the behavior of pet owners who walk their dogs in public spaces using the messaging and tools below.

Overarching Message: Collect your pet waste and dispose of it properly (solid waste). Pet waste does not decompose quickly, it is not a natural fertilizer, and can adversely impact water quality.

Schedule: Three of the following tools will be used each year to implement this BMP. More than three tools are included in this Plan to allow for flexibility in implementation.

Optional Tool 1 Stencil 15 storm drains in in town center, neighborhood and/or park areas.

Optional Tool 2 The SMSWG regional collaborative will create and issue four seasonal social media or website posts related to pet waste

Optional Tool 3 Install/Maintain signs at a minimum of one area identified as having pet waste issues.

Optional Tool 4 Include a handout/postcard provided when dog license is issued, or at shelters or doggie day cares or vets as reminders

Optional Tool 5 Create and use 3 truck magnets or bumper stickers with message for public works vehicles or other town vehicles or shrink wrap one town vehicle with message.

Optional Tool 6 Offer one workshop and training for use of litter tracking Aps to the Conservation Commission or other local interested group. The workshop may be conducted in cooperation with other SMSWG communities as long as two workshops are offered to the region each year this tool is used.

Optional Tool 7 Install/Maintain pet waste bag and disposal posts at two high traffic locations for dog walkers.

**Effectiveness Benchmark** (e.g., the target for pet waste behavior change): Each year the following process indicators will be documented for whichever corresponding tool was used (note that not all tools will be used each year):

1. The number of basins stenciled,
2. The number of social media posts made, how many people they reached, and how many engagements there were on each post.
3. Number of signs applied
4. Number of handouts provided with pet licenses
5. Number of magnets or bumper stickers applied and used.
6. Number of workshops provided and number of attendees at each workshop.
7. Number of pet waste bag and disposal posts installed and maintained.

In addition to the process indicators, the Town will use the location and quantity of pet waste and/or pet waste baggies identified during the following activities to guide messaging, tool selection and use, and to assess impact:

- during catch basin cleaning
- during outfall inspections
- from the litter tracking Ap in use
- from MCM2 cleanup data

Based on the literature review and local data collected it is estimated that pet waste is prevalent in most public spaces where dogs are walked, though a specific metric identifying the baseline quantity of pet waste present is not currently available. Each of the Towns will be using the Litterati Ap to collect baseline data before the 2022 MS4 General Permit becomes effective by assessing pet waste in one or two popular dog walking areas with reports of or suspected pet waste issues.

Once the baseline is established (to be reported in the Permit Year 9 Annual Report), the following are examples of conditions under which tools will be deemed effective:

- if the total quantity of pet waste observed in and around stenciled catch basins or catch basins that are near any posted signs or pet waste bag and disposal posts decreases
- if the total quantity of pet waste collected during roadside and beach cleanups decreases from the baseline.

#### **2.1.4 BMP 1.4 – Overall Effectiveness Evaluation**

##### **Responsible Party – Public Works Director**

Measurable Goal 1.4a – In addition to the annual effectiveness evaluations, in Permit Year 5 of the 2022 MS4 General Permit, the Town will work with the other SMSWG communities to conduct an evaluation of the overall effectiveness of the Awareness and Behavior Change BMPs (BMPs 1.1 through 1.3) to assess progress toward each benchmark listed. The evaluation will be a review of trends in the annually reported benchmark values for the Behavior Change and

Awareness BMPs as well as documentation overall of changes made each year. The evaluation will identify recommendations for future awareness and behavior change target audiences, messages, tools, and benchmarks.

## **2.2 MCM 2 Public Involvement and Participation**

The SMSWG Towns will cooperate on Public Involvement and Participation activities on a regional basis, as described in this section of the plan.

### **2.2.1 BMP 2.1 - Public Notice Requirement**

**Responsible Party: Public Works Director**

Measurable Goal 2.1a – The Town will follow state and local Public Notice requirements for its Stormwater Management Plan and Notice of Intent (NOI) to comply with the Permit. Copies of the NOI and SWMP will be made available on the Towns’ web site. If changes are made to the SWMP, the website posting will include a notice that comments can be provided to the Responsible Party to this BMP.

### **2.2.2 BMP 2.2 - Host Public Events**

**Responsible Party: Public Works Director**

Measurable Goal 2.2a – The Town will either individually or regionally host or participate in an annual roadside, stream, park, or beach clean up to emphasize the importance of the behavior change BMPs 1.3 (Proper Cigarette Butt Disposal) and 1.4 (Proper Pet Waste Disposal). The event will be advertised:

- On the Town’s website
- On the SMSWG Facebook page
- In a local daily or weekly newspaper
- One other method to be identified by Town Responsible Party which replaces one of the three identified above.

The annual report will include a description of the event and the estimated attendance/participation.

## **2.3 MCM 3 Illicit Discharge Detection and Elimination**

The Town will continue to implement its Illicit Discharge Detection and Elimination (IDDE) program, which includes:

- A Watershed-based map of the stormwater infrastructure,
- A written IDDE Plan which describes:
  - Inspections of the infrastructure during dry weather (and monitoring of outfalls that flow during dry weather)
  - Investigations of potential illicit discharges,
  - Enforcement of the Non-Stormwater Discharge Ordinance
  - A Quality Assurance Project Plan
- Development of a list of outfalls that have the potential to cause illicit discharges during wet weather.

The following BMPs will be implemented to meet this Minimum Control Measure.

The Town's Code of Ordinances are referenced in this MCM and can be found here: [Code of Ordinances | Eliot, ME | Municode Library](#)

### **2.3.1 BMP 3.1 – Continue to Implement the Non-Stormwater Discharge Ordinance**

**Responsible Party: Code Enforcement Officer and Public Works Director**

Measurable Goal 3.1a – The Town implemented a Non-Stormwater Discharge Ordinance in June 2006. The Ordinance is contained in the Town's Code of Ordinances Chapter 31. The Town's Code Enforcement Officer enforces this ordinance in consultation with the Public Works Director. This ordinance provides the Code Enforcement Officer with the authority to issue notices of violation, penalties and/or fines, and to enter into consent agreements. The Town will continue to enforce this ordinance throughout the permit cycle.

Measurable Goal 3.1b – The Town will document the results of enforcement actions taken for illicit discharges on an excel spreadsheet.

### **2.3.2 BMP 3.2 – Maintain the Written IDDE Plan**

**Responsible Party – Public Works Director**

Measurable Goal 3.2a - The Town prepared a written IDDE Plan in 2015 which has been updated to contain the elements required in the 2022 MS4 General Permit (Part IV.C.3.b.i through vi) except that the wet weather assessment element (Part IV.C.3.f) will be incorporated by 6/30/2027. The updated IDDE Plan is contained in Appendix E of this SWMP. The plan will be reviewed annually and updated if needed to reflect any changes to the program.

Measurable Goal 3.2b - The Town will conduct a wet weather assessment in accordance with the 2022 MS4 General Permit Part IV.C.3.f and will incorporate the wet weather assessment into their IDDE Plan by the end of Permit Year 5 (6/30/2027).

### **2.3.3 BMP 3.3 - Maintain Storm Sewer System Infrastructure Map**

#### **Responsible Party - Public Works Director**

Measurable Goal 3.3a – The Town created a watershed-based map of the MS4 infrastructure and has been updating it throughout the three previous permit cycles (2003-2022). The map shows the locations of stormwater catch basins, drain manholes, connecting surface and subsurface infrastructure showing the direction of pipe flow and the locations of stormwater outfalls. The infrastructure is documented in a Geographic Information System (GIS), which contains unique identifiers for outfalls and catch basins, as well as outfall material, size and receiving water. The map is updated annually as follows:

- The GIS geodatabase is updated to reflect changes to infrastructure based on inspections by Public Work Staff by June 30 each year,
- The GIS geodatabase is updated when as-built drawings become available for municipal infrastructure, and
- Paper maps are printed only on an as-needed basis.

### **2.3.4 BMP 3.4 – Conduct Infrastructure Inspections and Monitor Flowing Outfalls**

#### **Responsible Party – Public Work Director**

Measurable Goal 3.4a – The Town will conduct infrastructure inspections for pollutants using the following frequency:

- One dry weather inspection will be conducted on each outfall at least once per permit cycle as required by the 2022 MS4 General Permit.
- Dry weather ditch inspections will be conducted whenever ditch maintenance work is anticipated
- Catch basins will be inspected for evidence of pollutants during their required sediment inspections (see BMP 6.4 for details).

The Town’s IDDE Plan (contained in Appendix E) describes the information collected electronically during infrastructure inspections. The Town documents the inspections electronically in the GIS.

Measurable Goal 3.4b – If an outfall is observed to be flowing during a dry weather inspection, the flow will be sampled and analyzed once per permit term using the methods described in the IDDE Plan unless it is exempt from dry weather investigations (as described in Part IV.C.3.e.vi of the 2022 MS4 General Permit). Outfalls sampled during dry weather will be handled as follows:

1. Outfalls where sampling and analysis reveals the potential for an illicit discharge: The



Town will investigate the catchment area associated with the outfall for potential illicit discharges as described under Measurable Goal 3.5a.

2. Outfalls where sampling and analysis does not reveal the potential for an illicit discharge: The Town will document the dry weather flow as either uncontaminated groundwater, water from a natural resource, or an allowable non-stormwater discharge.

The Public Works Director will summarize either the monitoring results or the exempt status on the excel spreadsheet used for Measurable Goal 3.5a or in a GIS geodatabase. If the monitoring reveals the outfall has a potential illicit discharge, as described in the IDDE Plan, the outfall will be investigated as required under Measurable goal 3.5a.

### **2.3.5 BMP 3.5 – Conduct Investigations on suspect illicit discharges and flowing outfalls**

#### **Responsible Party – Public Works Director**

Measurable Goal 3.5a – Whenever the Public Works Director becomes aware of a potential illicit discharge, they will investigate to identify the source using methods described in the written IDDE Plan (Appendix E). The Public Works Director will track the status and outcome of the investigations using an excel spreadsheet or the GIS database.

### **2.3.6 BMP 3.6 – Significant Contributors of Pollutants**

#### **Responsible Party - Public Works Director**

Measurable Goal 3.6a - During the 2013-2022 Permit Cycle the Maine DEP identified that hydrant flushing was a potential contributor of pollutants to MS4s. The DEP published an issue profile providing water districts and departments guidance on how to meet ambient water quality standards for chlorine during hydrant flushing. The document was specifically designed for discharges to MS4s. In addition, the Maine Rural Water Association and Maine Water Utilities Association prepared a guidance document and training to show departments and districts how to meet the requirements of the issue profile.

The Town previously made annual requests to the Kittery Water District to provide annual reports describing their hydrant flushing dechlorination processes, and the Town will continue to request that they provide the reports each year.

Measurable Goal 3.6b – If any of the following allowed non-stormwater discharges (in addition to hydrant flushing) are identified as significant contributors of pollutants to the MS4, the Town will work with the responsible discharges to control these sources, so they are no longer significant contributors of pollutants.

- landscape irrigation
- diverted stream flows

- rising ground waters
- uncontaminated ground water infiltration (as defined at 40 CFR 35.2005(20))
- uncontaminated pumped ground water
- uncontaminated flows from foundation drains
- air conditioning and compressor condensate
- irrigation water
- flows from uncontaminated springs
- uncontaminated water from crawl space pumps
- uncontaminated flows from footing drains
- lawn watering runoff
- flows from riparian habitats and wetlands
- residual street wash water (where spills/leaks of toxic or hazardous materials have not occurred, unless all spilled material has been removed and detergents are not used), and
- firefighting activity runoff (hydrant flushing is addressed in MG 3.6a)
- water line flushing and discharges from potable water sources
- individual residential car washing
- dechlorinated swimming pool discharges

## **2.4 MCM 4 Construction Site Stormwater Runoff Control**

The Town will update, implement, and enforce its Construction Runoff Control Program for construction activities that disturb greater than or equal to one acre of land including projects less than one acre that are part of a larger common plan of development or sale as required by the 2022 MS4 General Permit through implementation of BMPs as described in this section. Because the Town has regulatory mechanisms that already meet most of the requirements of this MCM, each BMP provides a short background section describing the related ordinances and/or regulations.

The Town's Code of Ordinances are referenced in this MCM and can be found here: [Code of Ordinances | Eliot, ME | Municode Library](#)

Thresholds for Review: The Town's Site Plan Review Process (Chapter 33, Article III) applies to all development listed as SPR in Table 1 for the Shoreland Zone (specified in Section 44-34) or listed as SPR the Table of Land Uses for base zoning districts (specified in Section 45-290). The Site Plan Review Process includes submittal of sketch plans and site plans to the Planning Board for review in accordance with Chapter 33. These projects are required to meet Performance Standards specified in Chapter 33, Division 5. Shoreland Zoning projects have additional standards in Section 44-35, and Subdivision have additional standards in Chapter 41.

Generally, these thresholds for development review by Planning Board include all projects that disturb greater than or equal to one acre of land, even though this threshold is not explicitly listed in Table 1 of either Section 44-34 or 45-290.

### **2.4.1 BMP 4.1 – Update Requirements for Erosion and Sediment Control**

#### **Responsible Party - Planner and Public Works Director**

Background: The Town's Code of Ordinances - Site Plan Review Process (Chapter 33) contains a requirement for all sites to submit a soil erosion and sediment control plan to Planning Board for review as part of their Site Plan submittal (after the sketch plan submittal). Performance Standards for Earth material removal (Section 33-181), and Erosion Control Performance Standards (Section 45-412) for most other developments both provide some guidance on how to conduct soil erosion and sediment control, but these standards are not consistent with the applicable sections of Attachment C to the 2022 MS4 General Permit.

Measurable Goal 4.1a – The Town will create redline strikeout updates of Chapters 33, 41, and 45 to reference that sediment and erosion control meet a set of standards consistent with the applicable sections of Attachment C to the 2022 MS4 General Permit (which are the same as the Maine DEP Stormwater Rule Chapter 500 Appendices A Erosion and Sediment Control, B Inspections and Maintenance, and C Housekeeping).

In addition, the standards will include a requirement to control waste such as discarded building materials, concrete truck washouts, chemicals, litter, and sanitary waste at the construction site that may cause adverse impacts to water quality if passed through the storm drain system.

The redline strikeout updates will be offered to the Eliot Planning Board in time for the Town Warrant vote in the November 2022 or May 2023 election. The MS4 General Permit states the ordinance changes are required to be completed by 7/1/2023.

Measurable Goal 4.1b – If needed to simplify the redline strikeout documents, the Town will develop either on its own, or regionally, a set of standards consistent with the construction site requirements contained in Attachment C to the 2022 MS4 General Permit (which are the same as the Maine DEP Stormwater Rule Chapter 500 Appendices A Erosion and Sediment Control, B Inspections and Maintenance, and C Housekeeping).

#### **2.4.2 BMP 4.2 – Site Plan Review Procedures**

##### **Responsible Party - Planner and Public Works Director**

Measurable Goal 4.2a – Site Plan Review Process (Chapter 33, Article III) applies to all development listed as SPR in Table 1 of the Shoreland Zone (specified in Section 44-34) or listed as SPR in the Table of Land Uses for base zoning districts (specified in Section 45-290). The Site Plan Review Process includes submittal of sketch plans and site plans to the Planning Board for review in accordance with Chapter 33. These projects are required to meet Performance Standards specified in Chapter 33 Division 5. Shoreland Zoning projects have additional standards in Section 44-35, and Subdivisions have additional standards in Chapter 41.

Generally, the thresholds for development review by Planning Board include all projects that disturb greater than or equal to one acre of land, even though this threshold is not explicitly listed in the land use tables in either Section 44-34 or 45-290.

In tandem with Measurable Goal 4.1a, the Town will add notes to Table 1 of the Shoreland Zone (specified in Section 44-34), and to the Table of Land Uses for base zoning districts (specified in Section 45-290) to identify that any site disturbing one or more acres of land will require Site Plan Approval. The redline strikeout updates will be offered to the Eliot Planning Board concurrent with the schedule for BMP 4.1.

#### **2.4.3 BMP 4.3 – Procedures for notifying construction site developers and operators**

##### **Responsible Party - Planner and Code Enforcement Officers**

Measurable Goal 4.3a – The Town will continue notifying developers and contractors of requirements to obtain coverage under the MCGP and Chapter 500 for sites that disturb one or more acres of land using the following methods:

- Providing notices in the Planning Department and Code Enforcement Department documents
- Requiring check box on building permit for sites that disturb one or more acres of land, and
- In general discussions with applicants.
- Through continued reference to Chapter 500 Stormwater Management Design requirements for subdivisions in Section 37-76 of their ordinances.

#### **2.4.4 BMP 4.4 – Conduct and Document Construction Site Inspections**

##### **Responsible Party – Planner and Code Enforcement Officer**

Measurable Goal 4.4a – The Town will continue implementing its procedure for construction site inspections which will be formalized in a written document by 7/1/2022. The written procedure will:

- Identify that a preconstruction meeting will be held, and that discussion of inspections for sediment and erosion control will be conducted during construction by either a third-party contractor or a Town Code Enforcement Officer.
- Identify that the inspector will review any inspection deficiencies with the contractor during or at the conclusion of the inspection to allow for BMP repairs to be done no later than the next workday, additional BMPs to be added within 7 calendar days, and significant repairs to be completed within 7 calendar days and prior to any storm event (rainfall) and
  - Any third-party inspection reports are provided to the Public Works Inspector within 3 days of the inspection for any sites that require corrective measures, and within one week for any sites that do not require corrective measures.
- Require three inspections during active earth-moving phase of construction
- Require a minimum of one inspection annually until the project reaches substantial completion.
- Require a final inspection at project completion to ensure that permanent stabilization has been achieved and all temporary erosion and sediment controls have been removed, and
- Include use of the construction inspection form (or a similar form) provided in Appendix F of this SWMP.

Measurable Goal 4.4b. The Town will document construction sites that trigger the ordinance using an excel spreadsheet each year. The spreadsheet will contain the site’s name, map and lot number, dates of inspections, and any enforcement actions and corrective actions taken.

## **2.5 MCM 5 Post-Construction Stormwater Management in New Development/ Redevelopment**

The Town will continue to implement its Post Construction Stormwater Management Program to address stormwater runoff from new development and redevelopment projects that disturb greater than or equal to one acre, including projects less than one acre that are part of a larger common plan of development or sale, that discharge into the Town’s MS4 through implementation of the following BMPs as described in this section.

The Town’s Code of Ordinances are referenced in this MCM and can be found here: [Code of Ordinances | Eliot, ME | Municode Library](#)

### **2.5.1 BMP 5.1 –Implement strategies to prevent or minimize water quality impacts**

#### **Responsible Party - Planner and Code Enforcement Officer**

Measurable Goal 5.1a – The Town, either on its own or in partnership with other MS4s, will develop a Model LID Ordinance for stormwater management on new and redevelopment sites which establishes performance standards for each of the LID Measures listed in Table 1 of Appendix F of the 2022 MS4 General Permit.

The Model LID Ordinance will be submitted to the Maine DEP for review by September 1, 2022. The 2022 MS4 General Permit identified that the Maine DEP will post the Model LID Ordinance for public comment and will approve it, with or without modifications by November 1, 2022.

Measurable Goal 5.1b – Assuming the Model LID Ordinance and its required elements are approved by November 1, 2022, the Town will either adopt the Model LID Ordinance, or incorporate its required elements into the Town Ordinances on or before July 1, 2024.

### **2.5.2 BMP 5.2 – Maintain Post Construction Ordinance or Similar Measure**

#### **Responsible Party - Planner and Code Enforcement Officer**

Measurable Goal 5.2a – On 6/9/2009, the Town enacted the Post Construction Stormwater Management Ordinance (Code of Ordinances, Subpart B. Land Use Regulations Chapter 35 Post Construction Stormwater Management) which requires that any site that disturbs one or more acres of land allow the town to inspect their stormwater infrastructure annually to ensure it is being maintained and functioning.

The Town Voters approved an amendment to this ordinance in June 2021 to require that annually by July 1 each year, owners of stormwater infrastructure in the MS4 area inspect and maintain their own infrastructure and certify back to the Town that it is being maintained. The amendment contained the following changes:

- For any person owning, leasing, or having control over stormwater management facilities finding that maintenance was needed: “That person shall repair any deficiencies found during their own, or the town’s inspection of the stormwater management facilities and provide notice to the Town they have completed the repairs within 60 days of said inspection or within a schedule approved by the Code Enforcement Officer.”
- The definition of Urbanized Area was modified to include the combined 2000 and 2010 Census (it previously only referenced the 2000 Census).

Annually, the Town will send out annual reminders to the owners of post construction sites to inspect and maintain their stormwater BMPs and provide the Town with annual certification of the inspections.

Measurable Goal 5.2b – The Town began using a spreadsheet in 2009 to track Post Construction sites subject to their ordinance. The Town will continue to use an excel spreadsheet to track:

- The cumulative number of sites that have post construction BMPs discharging into the permittee's MS4;
- The number of sites that have post construction BMPs discharging into the permittee's MS4 that were reported to the municipality;
- The number of sites with documented functioning post construction BMPs; and
- The number of sites that required routine maintenance or remedial action to ensure that the post construction BMP is functioning as intended.

## **2.6 MCM 6 Pollution Prevention/Good Housekeeping for Municipal Operations**

The objective of this MCM is to mitigate or eliminate pollutant runoff from municipal operations on property that is owned or managed by the permittee and located within the combined 2000 and 2010 Urbanized Areas through implementation of the following BMPs.

### **2.6.1 BMP 6.1 – Operations at Municipally Owned Grounds and Facilities**

#### **Responsible Party – Public Works Director**

Measurable Goal 6.1a – During the previous MS4 permit cycle, the Town developed an inventory of municipal operations conducted in, on, or associated with facilities, buildings, golf courses, cemeteries, or parks and open space owned or operated by the town that have the potential to cause or contribute to stormwater pollution. The Town will review and update its inventory annually.

Measurable Goal 6.1b – During the previous MS4 permit cycle, the Town developed and implemented Operation and Maintenance (O&M) Procedures for the municipal operations listed in their inventory that had the potential to cause or contribute to stormwater pollution. The town will continue to implement these O&M Procedures and will review and update the O&M Procedures annually to iteratively improve strategies and practices to eliminate or better control pollutant discharges.

### **2.6.2 BMP 6.2 – Training**

#### **Responsible Party – Public Works Director, Fire Chief and Police Chief**

Measurable Goal 6.2a – The Town will conduct annual training as follows:

- a. train the Public Works and Recycling Center employees who work in areas where industrial materials or activities are exposed to stormwater at the Public Works Garage and the Recycling Center, or who are responsible for implementing activities necessary to implement the Stormwater Pollution Prevention Plans for those facilities.
- b. train at least 80% of the Public Works, Police and Fire personnel who may impact stormwater at the sites on the O&M Procedures Inventory (e.g., Police and Fire employees).

Training will either be in person, via remote learning (such as Teams or Zoom), or via requirements to read and acknowledge the Stormwater O&M Procedures.

### **2.6.3 BMP 6.3 – Continue Street Sweeping Program**

#### **Responsible Party – Public Works Director**



Measurable Goal 6.3a - Each permit year the town will continue to sweep all publicly accepted paved streets and publicly owned paved parking lots at least once a year soon after snowmelt. The Town keeps a sweeping log of roads in Town and what date they were swept as documentation.

#### **2.6.4 BMP 6.4 – Cleaning of Catch Basins**

##### **Responsible Party – Public Works Director**

Measurable Goal 6.4a – The Town will inspect its catch basins for sediment content at least once every two years, and will clean catch basins that accumulate more than three inches of sediment.

Measurable Goal 6.4b – The Town will track which catch basins accumulate excess sediment (i.e., 50% or more of the sump contains sediment) to ensure those basins are inspected again the following year and cleaned if necessary. If a catch basin exhibits less than 25% sediment in its sump for two consecutive years, it is removed from the excess sediment list, and can be inspected again every two years.

Measurable Goal 6.4c – The Town will continue to beneficially re-use any catch basin grit that does not exhibit evidence of sewage, oil/grease, litter, or other pollutants in accordance with Maine DEP Solid Waste Management Rule 418 Beneficial Use of Solid Waste. Grit that exhibits evidence of pollutants will be profiled to assess its waste classification and disposed of at an appropriately licensed solid waste facility.

#### **2.6.5 BMP 6.5 – Maintenance and Upgrading of Storm water Conveyances and Outfalls**

##### **Responsible Party – Public Works Director**

Measurable Goal 6.5a – The Town will maintain and upgrade the stormwater conveyance systems based on the results of the catch basin, outfall, and ditch inspections, in accordance with the urgency of any needed repairs or maintenance. The Town continues to perform systematic capital upgrades of the storm drain system in correlation with the capital plan, and the road paving program for the town.

#### **2.6.6 BMP 6.6 – Stormwater Pollution Prevention Plans (SWPPPs)**

##### **Responsible Party – Public Works Director**

Measurable Goal 6.6a – During the last Permit Cycle, the Town prepared one SWPPP for the Public Works Garage and Transfer Station/Recycling Center, which are co-located on Route 236. Though these facilities are outside the Urbanized Area, the DEP has indicated they require coverage under either this MS4 General Permit, or the DEP MSGP program. The Town does not have any other public works facilities, transfer stations, or school bus maintenance facilities and

therefore does not need to maintain any other SWPPPs.

The Town will amend its SWPPP to comply with the requirements specified in Part IV.C.6.d by 6/30/2022. In addition, the Town will amend its the SWPPP within 30 calendar days of completion of any of the following:

- A change in design, construction, operation, or maintenance that may have a significant effect on the discharge or potential for discharge of pollutants including the addition or reduction of industrial activity,
- Monitoring, inspections, or investigations by the Town, local, state, or federal officials which determine the SWPPP is ineffective in eliminating or significantly minimizing the intended pollutants,
- A discharge occurs that is determined by the Maine DEP to cause or have the reasonable potential to cause or contribute to the violation of an applicable water quality standard.

Measurable Goal 6.6b - The Town will implement the plan throughout each Permit Year including conducting quarterly facility inspections using the Town's own form and visual monitoring using forms containing the inspection criteria identified in Appendix E of the 2022 MS4 General Permit.

## **2.7 Impaired Waters BMPs**

As shown in Table 1, of Section 1.4 of this Plan, the Town does not discharge to any Urban Impaired Stream, and the Maine DEP confirmed that no additional actions need to be taken for any other impaired water as part of this Plan. Therefore, no BMPs or Measurable Goals are required to be implemented under this section.

### 3 GENERAL REQUIREMENTS

#### 3.1 Certification

The General Permit requires that this Plan be certified by either a principal executive officer or ranking elected official. This section provides the necessary certification.

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Signature: \_\_\_\_\_ Date: \_\_\_\_\_


Name: Michael Sullivan

Title: Town Manager

# **APPENDIX A**

---


## **URBANIZED AREA MAP**




**NPDES Phase II Stormwater Program  
Automatically Designated MS4 Areas**

**Eliot ME**

 Regulated Area (2000 + 2010 Urbanized Area)



Town Population: **6204**  
Regulated Population: **3227**  
(Populations estimated from 2010 Census)



Urbanized Areas, Town Boundaries:  
US Census (2000, 2010)  
Base map © 2010 Microsoft Corporation  
and its data suppliers

US EPA Region 1 GIS Center Map #8824, 11/19/2012

## **APPENDIX B**

---

**NOTICE OF INTENT and PERMITTEE SPECIFIC DEP ORDER**



**NOTICE OF INTENT TO COMPLY WITH MAINE GENERAL PERMIT FOR THE DISCHARGE OF STORMWATER FROM MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4)**

PLEASE TYPE OR PRINT IN *BLACK INK ONLY*

PERMITTEE INFORMATION					
MS4 Entity	Town of Eliot, Maine			Permittee ID #	MER041004
Name and title of chief elected official or principal executive officer	Dana Lee, Eliot Town Manager				
Mailing Address	1333 State Road				
Town/City	Eliot	State	Maine	Zip Code	03903
Daytime Phone	207-439-1813	Email	townmanager@eliotme.org		
PRIMARY CONTACT PERSON FOR OVERALL STORMWATER MANAGEMENT PROGRAM (if different than PEO/CEO)					
Name and Title	Steve Robinson, Public Works Director				
Mailing Address	1333 State Road				
Town/City	Eliot	State	Maine	Zip Code	03903
Daytime Phone	207-439-9451	Email	srobinson@eliotme.org		
STORMWATER MANAGEMENT PLAN (SWMP)					
Urbanized Area (sq. mi.)	4.7				
I have attached our updated SWMP with ordinances, SOPs, forms. <input checked="" type="checkbox"/>					
Name of streams, wetlands, or waterbodies to which the regulated small MS4 discharges ( <i>attach additional sheets as necessary</i> ):					
Piscataqua River Estuary including Spinney Creek, Sturgeon Creek, Stacey Creek, and Adlington Creek					
List of impaired waterbodies that receive stormwater from the regulated small MS4 ( <i>attach additional sheets as necessary</i> ):					
Piscataqua River Estuary					
CERTIFICATION					
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.					
Signature of Permittee				Date	3/10/21

This NOI registration form must be filed with the Department at the following address:

Stormwater Program Manager  
 Maine Department of Environmental Protection  
 Bureau of Water Quality  
 17 State House Station  
 Augusta ME 04333-0017  
[Rhonda.Poirier@maine.gov](mailto:Rhonda.Poirier@maine.gov)

OFFICE USE ONLY					
Date Received		Staff		Date Accepted	
				Date Not Accepted	



# Seacoast ClassifiedAds.com

Classified Marketplace of Portsmouth Herald, Foster's Daily Democrat, Hampton Union, and Exeter News-Letter

3 easy ways to place your ad  
• Online: SeacoastClassified.com  
• Call: 1-800-776-9622  
• Email: classified@seacoastonline.com

**Legal Notices**  
Public Auction  
211 Central Ave. Dover NH 03820  
www.auction.com



**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The Planning Board will hold a Public Hearing on **Wednesday, March 24, 2021**, in the Council Chamber of the Town of Dover, 1000 Square Foot Storage Building and Driveway, Cycle Court, LLC, c/o William and Nancy Thayer, owners. Sub: Subdivided Applicant, Map 111, Lot 4-2. Office Research (201) District.

**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The Town is currently seeking Zoned video that provides for the participation of the meeting by the Board members and the public. The public hearing will be held on **Wednesday, March 24, 2021**, at 7:00 a.m. and the hearing will commence some time after that.

**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The City of Dover City Council will be holding a public hearing on **March 24, 2021** at 7:00 a.m. in the Council Chamber of the City of Dover, 1000 Square Foot Storage Building and Driveway, Cycle Court, LLC, c/o William and Nancy Thayer, owners. Sub: Subdivided Applicant, Map 111, Lot 4-2. Office Research (201) District.

**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The City of Dover City Council will be holding a public hearing on **March 24, 2021** at 7:00 a.m. in the Council Chamber of the City of Dover, 1000 Square Foot Storage Building and Driveway, Cycle Court, LLC, c/o William and Nancy Thayer, owners. Sub: Subdivided Applicant, Map 111, Lot 4-2. Office Research (201) District.

**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The City of Dover City Council will be holding a public hearing on **March 24, 2021** at 7:00 a.m. in the Council Chamber of the City of Dover, 1000 Square Foot Storage Building and Driveway, Cycle Court, LLC, c/o William and Nancy Thayer, owners. Sub: Subdivided Applicant, Map 111, Lot 4-2. Office Research (201) District.

**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The City of Dover City Council will be holding a public hearing on **March 24, 2021** at 7:00 a.m. in the Council Chamber of the City of Dover, 1000 Square Foot Storage Building and Driveway, Cycle Court, LLC, c/o William and Nancy Thayer, owners. Sub: Subdivided Applicant, Map 111, Lot 4-2. Office Research (201) District.

**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The City of Dover City Council will be holding a public hearing on **March 24, 2021** at 7:00 a.m. in the Council Chamber of the City of Dover, 1000 Square Foot Storage Building and Driveway, Cycle Court, LLC, c/o William and Nancy Thayer, owners. Sub: Subdivided Applicant, Map 111, Lot 4-2. Office Research (201) District.

**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The City of Dover City Council will be holding a public hearing on **March 24, 2021** at 7:00 a.m. in the Council Chamber of the City of Dover, 1000 Square Foot Storage Building and Driveway, Cycle Court, LLC, c/o William and Nancy Thayer, owners. Sub: Subdivided Applicant, Map 111, Lot 4-2. Office Research (201) District.

**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The City of Dover City Council will be holding a public hearing on **March 24, 2021** at 7:00 a.m. in the Council Chamber of the City of Dover, 1000 Square Foot Storage Building and Driveway, Cycle Court, LLC, c/o William and Nancy Thayer, owners. Sub: Subdivided Applicant, Map 111, Lot 4-2. Office Research (201) District.

**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The City of Dover City Council will be holding a public hearing on **March 24, 2021** at 7:00 a.m. in the Council Chamber of the City of Dover, 1000 Square Foot Storage Building and Driveway, Cycle Court, LLC, c/o William and Nancy Thayer, owners. Sub: Subdivided Applicant, Map 111, Lot 4-2. Office Research (201) District.

**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The City of Dover City Council will be holding a public hearing on **March 24, 2021** at 7:00 a.m. in the Council Chamber of the City of Dover, 1000 Square Foot Storage Building and Driveway, Cycle Court, LLC, c/o William and Nancy Thayer, owners. Sub: Subdivided Applicant, Map 111, Lot 4-2. Office Research (201) District.

**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The City of Dover City Council will be holding a public hearing on **March 24, 2021** at 7:00 a.m. in the Council Chamber of the City of Dover, 1000 Square Foot Storage Building and Driveway, Cycle Court, LLC, c/o William and Nancy Thayer, owners. Sub: Subdivided Applicant, Map 111, Lot 4-2. Office Research (201) District.

**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The City of Dover City Council will be holding a public hearing on **March 24, 2021** at 7:00 a.m. in the Council Chamber of the City of Dover, 1000 Square Foot Storage Building and Driveway, Cycle Court, LLC, c/o William and Nancy Thayer, owners. Sub: Subdivided Applicant, Map 111, Lot 4-2. Office Research (201) District.

**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The City of Dover City Council will be holding a public hearing on **March 24, 2021** at 7:00 a.m. in the Council Chamber of the City of Dover, 1000 Square Foot Storage Building and Driveway, Cycle Court, LLC, c/o William and Nancy Thayer, owners. Sub: Subdivided Applicant, Map 111, Lot 4-2. Office Research (201) District.

**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The City of Dover City Council will be holding a public hearing on **March 24, 2021** at 7:00 a.m. in the Council Chamber of the City of Dover, 1000 Square Foot Storage Building and Driveway, Cycle Court, LLC, c/o William and Nancy Thayer, owners. Sub: Subdivided Applicant, Map 111, Lot 4-2. Office Research (201) District.

**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The City of Dover City Council will be holding a public hearing on **March 24, 2021** at 7:00 a.m. in the Council Chamber of the City of Dover, 1000 Square Foot Storage Building and Driveway, Cycle Court, LLC, c/o William and Nancy Thayer, owners. Sub: Subdivided Applicant, Map 111, Lot 4-2. Office Research (201) District.

**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The City of Dover City Council will be holding a public hearing on **March 24, 2021** at 7:00 a.m. in the Council Chamber of the City of Dover, 1000 Square Foot Storage Building and Driveway, Cycle Court, LLC, c/o William and Nancy Thayer, owners. Sub: Subdivided Applicant, Map 111, Lot 4-2. Office Research (201) District.

**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The City of Dover City Council will be holding a public hearing on **March 24, 2021** at 7:00 a.m. in the Council Chamber of the City of Dover, 1000 Square Foot Storage Building and Driveway, Cycle Court, LLC, c/o William and Nancy Thayer, owners. Sub: Subdivided Applicant, Map 111, Lot 4-2. Office Research (201) District.

**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The City of Dover City Council will be holding a public hearing on **March 24, 2021** at 7:00 a.m. in the Council Chamber of the City of Dover, 1000 Square Foot Storage Building and Driveway, Cycle Court, LLC, c/o William and Nancy Thayer, owners. Sub: Subdivided Applicant, Map 111, Lot 4-2. Office Research (201) District.

**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The City of Dover City Council will be holding a public hearing on **March 24, 2021** at 7:00 a.m. in the Council Chamber of the City of Dover, 1000 Square Foot Storage Building and Driveway, Cycle Court, LLC, c/o William and Nancy Thayer, owners. Sub: Subdivided Applicant, Map 111, Lot 4-2. Office Research (201) District.

**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The City of Dover City Council will be holding a public hearing on **March 24, 2021** at 7:00 a.m. in the Council Chamber of the City of Dover, 1000 Square Foot Storage Building and Driveway, Cycle Court, LLC, c/o William and Nancy Thayer, owners. Sub: Subdivided Applicant, Map 111, Lot 4-2. Office Research (201) District.

**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The City of Dover City Council will be holding a public hearing on **March 24, 2021** at 7:00 a.m. in the Council Chamber of the City of Dover, 1000 Square Foot Storage Building and Driveway, Cycle Court, LLC, c/o William and Nancy Thayer, owners. Sub: Subdivided Applicant, Map 111, Lot 4-2. Office Research (201) District.

**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The City of Dover City Council will be holding a public hearing on **March 24, 2021** at 7:00 a.m. in the Council Chamber of the City of Dover, 1000 Square Foot Storage Building and Driveway, Cycle Court, LLC, c/o William and Nancy Thayer, owners. Sub: Subdivided Applicant, Map 111, Lot 4-2. Office Research (201) District.

**Service Directory**  
Need help getting the job done?  
These Service Professionals are waiting for your call.  
• Attorney & Legal Services  
• Accounting & Finance Services  
• Cleaning Services  
• Construction Services  
• Event Planning  
• Financial Services  
• Home Inspection  
• Insurance Services  
• Landscaping  
• Moving Services  
• Pest Control  
• Real Estate  
• Tutoring  
• Wedding Services

**Real Estate OPEN HOUSE**  
MILTON SCHOOL DISTRICT IMMEDIATE OPENINGS  
Interim Case Manager  
Class managers are certified special education educators who will provide in-person special education instruction to students in either the elementary school or the middle-high school setting. Class managers will be based at the appropriate step level for any previous experience. Specialized instruction is delivered in both the special education (pull-out) and the regular education (push-in) settings. Availability of this position rises to life end of the current school year.

**LEGAL NOTICE**  
NOTICE OF PUBLIC HEARING  
The City of Dover City Council will be holding a public hearing on **March 24, 2021** at 7:00 a.m. in the Council Chamber of the City of Dover, 1000 Square Foot Storage Building and Driveway, Cycle Court, LLC, c/o William and Nancy Thayer, owners. Sub: Subdivided Applicant, Map 111, Lot 4-2. Office Research (201) District.

**Need to place a legal notice?**  
SeacoastOnline.com  
SeacoastOnline.com and Foster's.com  
LOCAL NEWS YOU CAN RELY ON

**SeacoastOnline.com and Foster's.com**  
LOCAL NEWS YOU CAN RELY ON

**WE ARE COMPETITIVE JUNK CARS TRUCKS AND EQUIPMENT**  
We Pay Cash  
Free pick up, Same Day Service  
603-502-1207  
250-\$700 CASH  
For Junk Cars & Trucks  
INSTANT ONLINE OFFER:  
www.salisburytrucks.com  
978-462-8250 Free Towing

**LEGAL NOTICE**  
The Municipality of Town of Eliot, will file a Notice of Intent (NOI) to comply with the Maine General Permit for the Discharge of Stormwater from Small Municipal Separate Storm Sewer Systems issued 10/15/2020 (MERO41000 W009170-5Y-C-R) and an associated Stormwater Management Plan (SWMP) with the Maine Department of Environmental Protection. The NOI and SWMP will be filed on or about March 23, 2021. A copy may also be seen at the Town of Eliot municipal offices and on the municipal website: [www.eliotmaine.org](http://www.eliotmaine.org)

**MILTON SCHOOL DISTRICT IMMEDIATE OPENINGS**  
Long Term Substitute Teachers Needed  
Work as little as twice or as much as five days weekly  
\$115 per day  
Provide supervision and instruction to students in the school setting

**LEGAL NOTICE**  
The NOI and SWMP are also available for viewing at the DEP Office in Augusta by scheduled appointment during normal business hours during the pandemic. Written public comments or requests for information may be made to the Division of Water Quality Management, Department of Environmental Protection, State House Station #17, Augusta, ME 04333-0017; telephone (207) 592- 6233 and must include the name of the municipality filing the NOI and the Permit number provided above.



STATE OF MAINE  
DEPARTMENT OF ENVIRONMENTAL PROTECTION



JANET T. MILLS  
GOVERNOR

MELANIE LOYZIM  
COMMISSIONER

May 18, 2022

Mr. Michael Sullivan  
Town Manager  
1333 State Road  
Eliot, Maine 03903  
e-mail: [townmanager@eliotmaine.org](mailto:townmanager@eliotmaine.org)

**RE: Municipal Separate Storm Sewer System (MS4) General Permit #MER041000  
Final – MER041004**

Dear Mr. Sullivan:

Enclosed please find a copy of your **final** MEPDES permit and Maine WDL which was approved by the Department of Environmental Protection. Please read this permit/license and its attached conditions carefully. Compliance with this permit/license will protect water quality.

Any interested person aggrieved by a Department determination made pursuant to applicable regulations, may appeal the decision following the procedures described in the attached DEP FACT SHEET entitled "*Appealing a Commissioner's Licensing Decision.*"

If you have any questions regarding the matter, please feel free to call me at 287-7693. Your Department compliance inspector copied below is also a resource that can assist you with compliance. Please do not hesitate to contact them with any questions.

Thank you for your efforts to protect and improve the waters of the great state of Maine!

Sincerely,

Gregg Wood  
Division of Water Quality Management  
Bureau of Water Quality

Enc.

cc:	Alison Moody, DEP/SMRO	Lori Mitchell, DEP/CMRO	Holliday Keen, DEP/CMRO
	Irene Saumur, DEP/CMRO	Damien Houlihan, USEPA	Nathan Chien, USEPA
	Richard Carvalho, USEPA	Newton Tedder, USEPA	

AUGUSTA  
17 STATE HOUSE STATION  
AUGUSTA, MAINE 04333-0017  
(207) 287-7688 FAX: (207) 287-7826

BANGOR  
106 HOGAN ROAD, SUITE 6  
BANGOR, MAINE 04401  
(207) 941-4570 FAX: (207) 941-4584

PORTLAND  
312 CANCO ROAD  
PORTLAND, MAINE 04103  
(207) 822-6300 FAX: (207) 822-6303

PRESQUE ISLE  
1235 CENTRAL DRIVE, SKYWAY PARK  
PRESQUE ISLE, MAINE 04769  
(207) 764-0477 FAX: (207) 760-3143

website: [www.maine.gov/dep](http://www.maine.gov/dep)



STATE OF MAINE  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
17 STATE HOUSE STATION  
AUGUSTA, ME 04333

**DEPARTMENT ORDER  
IN THE MATTER OF**

TOWN OF ELIOT	)	MUNICIPAL SEPARATE STORM
ELIOT, YORK COUNTY, MAINE	)	SEWER SYSTEM
MER041004	)	MER041000
	)	<b>GENERAL PERMIT COVERAGE</b>
<b>APPROVAL</b>	)	<b>RENEWAL</b>

The Department of Environmental Protection (Department/DEP) has considered the Notice of Intent submitted by the TOWN OF ELIOT (Town/permittee), with supportive data, agency review comments and other related materials on file for coverage under the Municipal Separate Storm Sewer System (MS4) General Permit, #MER041000, issued by the Department on October 15, 2020 and revised on November 23, 2021, and FINDS THE FOLLOWING FACTS.

The permittee submitted a Notice of Intent (NOI) with an initial Stormwater Management Plan (SWMP) to the Department on March 25, 2021 that were made available for a 30-day public comment period on the Department's website at <https://www.maine.gov/dep/comment/comment.html?id=4463193>. No public comments were received on the NOI or the initial SWMP. The Department has reviewed the initial SWMP document and made the determination that the document is consistent with and fully articulates what is required to meet the MS4 GP standard. Pursuant to Part IV(B) of MS4 GP issued by the Department on October 15, 2020 and revised on November 23, 2021, the permittee must update the initial SWMP within 60 days of the effective date of this DEP permittee specific order or within 60 days of the final resolution to an appeal of this DEP permittee specific order. The final plan must be submitted to the Department and will be posted on the Department's website.

The permittee must fully implement the following Best Management Practices in accordance with their associated schedules of compliance, as established in the Modified Stormwater Management Plan that is in effect at the time any schedule for compliance is due:

- MCM 1 Education/Outreach Program: BMPs 1.1, 1.2, 1.3; and 1.4;
- MCM 2 Public Involvement and Participation: BMP 2.1 and 2.2;
- MCM 3 Illicit Discharge Detection and Elimination: BMPs 3.1, 3.2, 3.3, 3.4, 3.5, and 3.6;
- MCM 4 Construction Site Stormwater Runoff Control: BMPs 4.1, 4.2, 4.3, and 4.4;
- MCM 5 Post-Construction Stormwater Management in New Development/Redevelopment: 5.1, and 5.2;
- MCM 6 Pollution Prevention and Good Housekeeping for Municipal Operations: BMPs 6.1, 6.2, 6.3, 6.4, 6.5, and 6.6.

Modifications to the Initial Stormwater Management Plan required as a result of this Order, if any, must be provided to the Department in accordance with Part IV.B of the MS4 GP, and the Department will notify the permittee if further changes are required in accordance with Part IV.B.2.


The permittee has agreed to comply with all terms and conditions of the Municipal Separate Storm Sewer System (MS4) General Permit, #MER041000, dated October 15, 2020 and revised on November 23, 2021. Operated in accordance with the Municipal Separate Storm Sewer System (MS4) General Permit, #MER041000, the discharges identified by the permittee will not have a significant adverse effect on water quality or cause or contribute to the violation of the water quality standards of the receiving water.

THEREFORE, the Department GRANTS the TOWN OF ELIOT, coverage under the Municipal Separate Storm Sewer System (MS4) General Permit, #MER041000, issued by the Department on October 15, 2020 and revised on November 23, 2021, subject to the terms and conditions therein.

This DEP permittee specific order becomes effective on July 1, 2022 and expires at midnight five (5) years after that date. If the GP is to be renewed, this DEP permittee specific order will remain in effect and enforceable until the Department takes final action on the renewal.

DONE AND DATED AT AUGUSTA, MAINE, THIS 18 DAY OF May, 2022.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

BY:   
for Melanie Loyzim, Commissioner

PLEASE NOTE ATTACHED SHEET FOR GUIDANCE ON APPEAL PROCEDURES

The Notice of Intent was received by the Department on March 25, 2021.

The Notice of Intent was accepted by the Department on April 2, 2021.

**FILED**  
MAY 18, 2022  
State of Maine  
Board of Environmental Protection

Date filed with Board of Environmental Protection: \_\_\_\_\_

This Order prepared by GREGG WOOD, BUREAU OF WATER QUALITY

**RESPONSE TO COMMENTS**

During the period of March 16, 2022 through the date of signature of this final agency action, the Department solicited comments on the draft MEPDES DEP permittee specific order. The Department did receive timely written comments from the permittee. Responses to substantive comments are as follows:

**Comment #1:** The language in the draft order (italicized below) is potentially vague, which may lead to confusion about what steps are required for compliance.

*“The permittee must fully implement all actions, schedules and milestones established in the March 31, 2021 initial SWMP and any revisions to the initial SWMP reflected in the final plan.”*

Specifically, the permittee is concerned that in the SWMPs it may not always be clear what qualifies as mandatory “actions, schedules and milestones” and what does not. This is because the SWMPs were written broadly to, in addition to setting out specific and measurable actions, provide helpful context, educate officials and citizens about the Plan, and establish process, among other things. There is, therefore, significant text in the SWMPs that does not appear to be an action, schedule, or milestone, and thus would not be enforceable. The permittee is concerned that it will not always be clear exactly what is mandatory and what is not. Additionally, the permittee believes that the language about enforcing any additional revisions to the SWMP also may be somewhat unclear, given that SWMPs are living documents that are expected under the new MS4 general permit to evolve over time.

**Response #1:** The Department concurs with the permittee’s position on the purpose and enforceability of the SWMP as a stand-alone document. Part VI(E), *Relationship Between the SWMP and Permit Required Terms and Conditions* of the December 9, 2016 Federal Register states in relevant part “...under EPA small MS4 regulations, the details included in the permittee’s SWMP document are not directly enforceable as effluent limitations of the permit. The SWMP document is intended to be a tool that describes the means by which the MS4 establishes its stormwater controls and engages in the adaptive management process during the term of the permit. While the requirement to develop a SWMP document is an enforceable condition of the permit (see §122.34(b) of the final rule) the contents of the stormwater management document itself are not enforceable as effluent limitations of the permit, unless the document or specific details within the SWMP are specifically incorporated by the permitting authority into the permit.”

Part VI(E), also states in relevant part “... the details of any part of the permittee's program that are described in the SWMP, unless specifically incorporated into the permit, are not enforceable under the permit, and because they are not terms of the permit, the MS4 may revise those parts of the SWMP if necessary to meet any permit requirements or to make improvements to stormwater controls during the permit term. As discussed in more detail below, the permitting authority has discretion to determine what elements, if any, of the SWMP are to be made enforceable, but in order to do so it must follow the procedural requirements for the second step under Sec. 122.28(d)(2).

The regulations envision that the MS4 permittee will develop a written SWMP document that provides a road map for how the permittee will comply with the permit. The SWMP document(s) can be changed based on adaptations made during the course of the permit, which enable the permittee to react to circumstances and experiences on the ground and to make adjustments to its program to better comply with the permit. The fact that the SWMP is an external tool and not required to be part of the permit is intended to enable the MS4 permittee to be able to modify and retool its approach during the course of the permit term in order to continually improve how it complies with the permit and to do this without requiring the permitting authority to review and approve each change as a permit modification.”

***Comment #2:*** The General Permit does require that the SWMPs be updated and sent out for public comment annually and lays out a process for any other needed revisions. Multiple versions of the SWMPs should not be enforceable. The only version that should be enforceable is the version that is in force at the time a Best Management Practice or Measurable Goal is due. Accordingly, we recommend clarifying this provision to eliminate any potential confusion.

This will, in turn, promote compliance and lead to better water quality. To accomplish that, we note that our SWMPs have Best Management Practices (BMPs) with Measurable Goals and believe the second step order would be more clear if it references that we will fully implement those BMPs. This approach is consistent with Part III.A.8 of the GP which provides: “Following the public comment period on the NOI, the Department will issue a permittee specific DEP Order that establishes additional terms and conditions, including but not limited to, a list of required actions and corresponding schedules of compliance for a limited number BMPs associated with the implementation of this GP.” Thus, we suggest the following italicized text be incorporated into the final Order:

*The permittee must fully implement the following Best Management Practices in accordance with their associated schedules of compliance, as established in the Modified Stormwater Management Plan that is in effect at the time any schedule for compliance is due:*

*MCM 1 Education/Outreach Program: BMPs 1.1, 1.2, 1.3; and 1.4;*

*MCM 2 Public Involvement and Participation: BMP 2.1 and 2.2;*

*MCM 3 Illicit Discharge Detection and Elimination: BMPs 3.1, 3.2, 3.3, 3.4, 3.5, and 3.6;*

*MCM 4 Construction Site Stormwater Runoff Control: BMPs 4.1, 4.2, 4.3, and 4.4;*

*MCM 5 Post-Construction Stormwater Management in New Development/Redevelopment: 5.1, and 5.2;*

*MCM 6 Pollution Prevention and Good Housekeeping for Municipal Operations: BMPs 6.1, 6.2, 6.3, 6.4, 6.5, and 6.6.*

*Modifications to the Initial Stormwater Management Plan required as a result of this Order, if any, must be provided to the Department in accordance with Part IV.B of the MS4 GP, and the Department will notify the permittee if further changes are required in accordance with Part IV.B.2.*

**Response #2:** The revisions cited above are acceptable to the Department and are consistent with Remand Rule in that “the permitting authority has discretion to determine what elements, if any, of the SWMP are to be made enforceable, but in order to do so it must follow the procedural requirements for the second step under Sec. 122.28(d)(2).”

Part IV.B of the GP states in relevant part “Modified Stormwater Management Plan (SWMP). The permittee must implement and enforce a written (hardcopy or electronic) SWMP. The initial SWMP must be updated within 60 days of permit authorization to include how the permittee will meet all requirements of the DEP Order. The modified SWMP must include a summary of the comments received during the MS4s public comment period and any corresponding changes to the SWMP made in response to the comments received. The permittee must perform all actions required by the permittee specific DEP Order in accordance with the timelines in the permittee specific DEP Order. Unless otherwise specified by the Department in writing, the permittee must submit the updated SWMP to the Department indicating how the permittee has modified their SWMP to be consistent with the GP and permittee specific DEP Order. To modify the schedule established in the permittee specific DEP Order, the permittee must file an application on a DEP form with the Department that includes a justification to formally modify the original permittee specific DEP Order.”

The final DEP permittee specific order has been modified accordingly.



# DEP INFORMATION SHEET

## Appealing a Department Licensing Decision

Dated: August 2021

Contact: (207) 314-1458

### SUMMARY

This document provides information regarding a person's rights and obligations in filing an administrative or judicial appeal of a licensing decision made by the Department of Environmental Protection's (DEP) Commissioner.

Except as provided below, there are two methods available to an aggrieved person seeking to appeal a licensing decision made by the DEP Commissioner: (1) an administrative process before the Board of Environmental Protection (Board); or (2) a judicial process before Maine's Superior Court. An aggrieved person seeking review of a licensing decision over which the Board had original jurisdiction may seek judicial review in Maine's Superior Court.

A judicial appeal of final action by the Commissioner or the Board regarding an application for an expedited wind energy development ([35-A M.R.S. § 3451\(4\)](#)) or a general permit for an offshore wind energy demonstration project ([38 M.R.S. § 480-HH\(1\)](#)) or a general permit for a tidal energy demonstration project ([38 M.R.S. § 636-A](#)) must be taken to the Supreme Judicial Court sitting as the Law Court.

### I. ADMINISTRATIVE APPEALS TO THE BOARD

#### LEGAL REFERENCES

A person filing an appeal with the Board should review Organization and Powers, [38 M.R.S. §§ 341-D\(4\)](#) and [346](#); the Maine Administrative Procedure Act, 5 M.R.S. § [11001](#); and the DEP's [Rule Concerning the Processing of Applications and Other Administrative Matters \(Chapter 2\)](#), 06-096 C.M.R. ch. 2.

#### DEADLINE TO SUBMIT AN APPEAL TO THE BOARD

Not more than 30 days following the filing of a license decision by the Commissioner with the Board, an aggrieved person may appeal to the Board for review of the Commissioner's decision. The filing of an appeal with the Board, in care of the Board Clerk, is complete when the Board receives the submission by the close of business on the due date (5:00 p.m. on the 30<sup>th</sup> calendar day from which the Commissioner's decision was filed with the Board, as determined by the received time stamp on the document or electronic mail). Appeals filed after 5:00 p.m. on the 30<sup>th</sup> calendar day from which the Commissioner's decision was filed with the Board will be dismissed as untimely, absent a showing of good cause.

#### HOW TO SUBMIT AN APPEAL TO THE BOARD

An appeal to the Board may be submitted via postal mail or electronic mail and must contain all signatures and required appeal contents. An electronic filing must contain the scanned original signature of the appellant(s). The appeal documents must be sent to the following address.

Chair, Board of Environmental Protection  
c/o Board Clerk  
17 State House Station  
Augusta, ME 04333-0017  
[ruth.a.burke@maine.gov](mailto:ruth.a.burke@maine.gov)



The DEP may also request the submittal of the original signed paper appeal documents when the appeal is filed electronically. The risk of material not being received in a timely manner is on the sender, regardless of the method used.

At the time an appeal is filed with the Board, the appellant must send a copy of the appeal to: (1) the Commissioner of the DEP (Maine Department of Environmental Protection, 17 State House Station, Augusta, Maine 04333-0017); (2) the licensee; and if a hearing was held on the application, (3) any intervenors in that hearing proceeding. **Please contact the DEP at 207-287-7688 with questions or for contact information regarding a specific licensing decision.**

#### REQUIRED APPEAL CONTENTS

A complete appeal must contain the following information at the time the appeal is submitted.

1. *Aggrieved status.* The appeal must explain how the appellant has standing to bring the appeal. This requires an explanation of how the appellant may suffer a particularized injury as a result of the Commissioner's decision.
2. *The findings, conclusions, or conditions objected to or believed to be in error.* The appeal must identify the specific findings of fact, conclusions of law, license conditions, or other aspects of the written license decision or of the license review process that the appellant objects to or believes to be in error.
3. *The basis of the objections or challenge.* For the objections identified in Item #2, the appeal must state why the appellant believes that the license decision is incorrect and should be modified or reversed. If possible, the appeal should cite specific evidence in the record or specific licensing criteria that the appellant believes were not properly considered or fully addressed.
4. *The remedy sought.* This can range from reversal of the Commissioner's decision on the license to changes in specific license conditions.
5. *All the matters to be contested.* The Board will limit its consideration to those matters specifically raised in the written notice of appeal.
6. *Request for hearing.* If the appellant wishes the Board to hold a public hearing on the appeal, a request for hearing must be filed as part of the notice of appeal, and it must include an offer of proof regarding the testimony and other evidence that would be presented at the hearing. The offer of proof must consist of a statement of the substance of the evidence, its relevance to the issues on appeal, and whether any witnesses would testify. The Board will hear the arguments in favor of and in opposition to a hearing on the appeal and the presentations on the merits of an appeal at a regularly scheduled meeting. If the Board decides to hold a public hearing on an appeal, that hearing will then be scheduled for a later date.
7. *New or additional evidence to be offered.* If an appellant wants to provide evidence not previously provided to DEP staff during the DEP's review of the application, the request and the proposed supplemental evidence must be submitted with the appeal. The Board may allow new or additional evidence to be considered in an appeal only under limited circumstances. The proposed supplemental evidence must be relevant and material, and (a) the person seeking to add information to the record must show due diligence in bringing the evidence to the DEP's attention at the earliest possible time in the licensing process; or (b) the evidence itself must be newly discovered and therefore unable to have been presented earlier in the process. Requirements for supplemental evidence are set forth in [Chapter 2 § 24](#).

#### OTHER CONSIDERATIONS IN APPEALING A DECISION TO THE BOARD

1. *Be familiar with all relevant material in the DEP record.* A license application file is public information, subject to any applicable statutory exceptions, and is made accessible by the DEP. Upon request, the DEP will make application materials available to review and photocopy during normal working hours. There may be a charge for copies or copying services.

2. *Be familiar with the regulations and laws under which the application was processed, and the procedural rules governing the appeal.* DEP staff will provide this information upon request and answer general questions regarding the appeal process.
3. *The filing of an appeal does not operate as a stay to any decision.* If a license has been granted and it has been appealed, the license normally remains in effect pending the processing of the appeal. Unless a stay of the decision is requested and granted, a licensee may proceed with a project pending the outcome of an appeal, but the licensee runs the risk of the decision being reversed or modified as a result of the appeal.

#### **WHAT TO EXPECT ONCE YOU FILE A TIMELY APPEAL WITH THE BOARD**

The Board will acknowledge receipt of an appeal, and it will provide the name of the DEP project manager assigned to the specific appeal. The notice of appeal, any materials admitted by the Board as supplementary evidence, any materials admitted in response to the appeal, relevant excerpts from the DEP's administrative record for the application, and the DEP staff's recommendation, in the form of a proposed Board Order, will be provided to Board members. The appellant, the licensee, and parties of record are notified in advance of the date set for the Board's consideration of an appeal or request for a hearing. The appellant and the licensee will have an opportunity to address the Board at the Board meeting. The Board will decide whether to hold a hearing on appeal when one is requested before deciding the merits of the appeal. The Board's decision on appeal may be to affirm all or part, affirm with conditions, order a hearing to be held as expeditiously as possible, reverse all or part of the decision of the Commissioner, or remand the matter to the Commissioner for further proceedings. The Board will notify the appellant, the licensee, and parties of record of its decision on appeal.

#### **II. JUDICIAL APPEALS**

Maine law generally allows aggrieved persons to appeal final Commissioner or Board licensing decisions to Maine's Superior Court (see [38 M.R.S. § 346\(1\)](#); 06-096 C.M.R. ch. 2; [5 M.R.S. § 11001](#); and M.R. Civ. P. 80C). A party's appeal must be filed with the Superior Court within 30 days of receipt of notice of the Board's or the Commissioner's decision. For any other person, an appeal must be filed within 40 days of the date the decision was rendered. An appeal to court of a license decision regarding an expedited wind energy development, a general permit for an offshore wind energy demonstration project, or a general permit for a tidal energy demonstration project may only be taken directly to the Maine Supreme Judicial Court. See 38 M.R.S. § 346(4).

Maine's Administrative Procedure Act, DEP statutes governing a particular matter, and the Maine Rules of Civil Procedure must be consulted for the substantive and procedural details applicable to judicial appeals.

#### **ADDITIONAL INFORMATION**

If you have questions or need additional information on the appeal process, for administrative appeals contact the Board Clerk at 207-287-2811 or the Board Executive Analyst at 207-314-1458 [bill.hinkel@maine.gov](mailto:bill.hinkel@maine.gov), or for judicial appeals contact the court clerk's office in which the appeal will be filed.

---

**Note:** This information sheet, in conjunction with a review of the statutory and regulatory provisions referred to herein, is provided to help a person to understand their rights and obligations in filing an administrative or judicial appeal. The DEP provides this information sheet for general guidance only; it is not intended for use as a legal reference. Maine law governs an appellant's rights.

---

## **APPENDIX C**

---

### **SUMMARY OF PUBLIC COMMENTS RECEIVED**

The public comment period for the Initial SWMP (offered by Maine DEP) lasted from 4/13/2021 to 5/12/2021. No public comments were received.

\*\*\*\*\*



**[Municipal applications for permit coverage under the 2022 General Permit for the Discharge of Stormwater from Small Municipal Separate Storm Sewer Systems \(MS4\).](#)**

04/12/2021 12:08 PM EDT

The Department is posting for public comment Municipal applications, including Notice of Intent to Comply (NOI) and Stormwater Management Plans (SWMP), for municipalities seeking coverage under the 2022 General Permit for the Discharge of Stormwater from Small Municipal Separate Storm Sewer Systems (MS4).

Submit written comments to Rhonda Poirier [rhonda.poirier@maine.gov](mailto:rhonda.poirier@maine.gov) by 5:00 p.m. May 12, 2021.

[Municipal NOI and SWMP files for comment.](#)

A request for public hearing must be received by the DEP, in writing, no later than 20 days after the application is found acceptable for processing. Requests must indicate the interest of the person filing the request and specify the reasons why a hearing is warranted. Unless otherwise provided by law, a hearing is discretionary and may be held if the Commissioner or the Board finds significant public interest or there is conflicting technical information.

\*\*\*\*\*

**The permittee specific DEP Orders were issued for public comment in November 2021 on the Maine DEP website. Comments received were as follows (attachments not included, but available from DEP):**

---

**From:** Ivy Frignoca <[ifrignoca@cascobay.org](mailto:ifrignoca@cascobay.org)>  
**Sent:** Monday, December 20, 2021 10:51 AM  
**To:** Wood, Gregg <[Gregg.Wood@maine.gov](mailto:Gregg.Wood@maine.gov)>  
**Subject:** Friends of Casco Bay Comment on second step orders

**EXTERNAL: This email originated from outside of the State of Maine Mail System. Do not click links or open attachments unless you recognize the sender and know the content is safe.**

Dear Gregg,

I just reviewed the proposed second step orders for the municipalities that discharge into the Casco Bay watershed, including Yarmouth, Cumberland, Falmouth and Gorham. None of these second step orders contain the necessary additional terms. It appears that all of the clear, specific and measurable terms necessary to carry forth the requirements in the first step general permit remain in the stormwater management plans (SWMPs) or are completely missing. The SWMPs are not enforceable. Without additional terms being incorporated into the second step permits (as is required by the general permit and the Remand Rule which has been codified into the code of federal regulations), these second step permits are wholly illegal.

Friends of Casco Bay respectfully requests that you rewrite the second step permits to incorporate the required terms contemplated by the MS4 permit (scheduled to take effect in July 2022) and the Remand Rule. To reiterate, without this action, the second step permits are inadequate and unlawful.

*Ivy*

Ivy L. Frignoca, Casco Baykeeper  
Friends of Casco Bay  
43 Slocum Drive  
South Portland, ME 04106  
Cell: (207) 831-3067  
[ifrignoca@cascobay.org](mailto:ifrignoca@cascobay.org)

---

**From:** Tedder, Newton <[Tedder.Newton@epa.gov](mailto:Tedder.Newton@epa.gov)>  
**Sent:** Wednesday, December 01, 2021 10:52 AM  
**To:** Wood, Gregg <[Gregg.Wood@maine.gov](mailto:Gregg.Wood@maine.gov)>  
**Subject:** RE: Second Step Permit

**EXTERNAL: This email originated from outside of the State of Maine Mail System. Do not click links or open attachments unless you recognize the sender and know the content is safe.**

Hi Gregg

You need to add a reference to all the other things that were required in the 2step. I provided an example of what needs to be included (on top of the additional things you added for impaired waters)

Sincerely,  
Newton W. Tedder

P.S. Have a nice day

**Based on comments received from the EPA and Friends of Casco Bay, the DEP issued the permittee specific DEP Orders again on 3/16/2022 to address their comments. The comments received and how they were addressed are attached to the Final Department Order contained in Appendix B of this SWMP.**

## **APPENDIX D**

---

### **EDUCATION AND OUTREACH TOOLS FOR AWARENESS**

## Appendix D: Education & Outreach Tools, Levels of Effort, and Effectiveness Benchmarks

Table 1 provides a list of tools with their corresponding minimum level of effort and effectiveness benchmark that will be selected from each year to implement BMP 1.1 for the Statewide Awareness Program.

Table 1. Tools for Measurable Goal 1.1a. (People 25 to 34 in the SMSWG region)

<b>Outreach Tool</b>	<b>Minimum Level of Effort</b>	<b>Effectiveness Benchmark</b>
SMSWG Website Content	Semiannual updates to website content	Number of visitors to website
Social Media Post (each platform counts as separate tool)	12 posts	Amount of post engagement (e.g., reactions, comments, shares, etc.)
Social Media Ad (each platform counts as separate tool)	Ad(s) run 90 days (multiple ads may be run for shorter durations to total 90 days)	Amount of ad engagement (e.g., reactions, comments, shares, link clicks, etc.) Number of people reached with ad
Social Media Video (each platform counts as separate tool)	3 videos	Amount of video engagement (e.g., views, reactions, comments, shares, etc.)
Online ad	Ad(s) run 90 days (multiple ads may be run for shorter durations to total 90 days)	Number of people reached with ad Amount of ad engagement (e.g., link clicks)
Outreach Tabling	3 events	Number of interactions
Outreach partnership with local organization	3 content shares by partner organization	Number of people reached
Other DEP-approved tools	Minimum level of effort will be determined based on the tool	Effectiveness benchmark will be determined based on the tool

# **APPENDIX E**

---

**IDDE PLAN AND QAPP**



# **APPENDIX F**

---

## **CONSTRUCTION INSPECTION FORMS**

## Construction Inspection Form for Sediment and Erosion Control

Site Name: Map/Lot:	Date of Inspection:
Inspector:	Inspection Time:            AM/PM
Pictures Taken:	Weather:
Type of Inspection: Initial / Return / Winter Stabilization / Final Stabilization / Complaint / Other _____	

Inspection Parameters		Comments/Follow up Date
Description and estimate of construction area that is disturbed:		
Does contractor have Erosion and Sediment Control Plan, drawings, and inspection log on site?	<b>Yes / No / NA</b>	
Is the contractor or a third-party inspector conducting inspections after rain events and weekly as required by the Erosion and Sediment Control Plan for the site?	<b>Yes / No / NA</b>	
Is the construction entrance clean with no track out of sediment?	<b>Yes / No</b>	
Is waste properly managed (concrete washout disposed of properly, no liquids in waste container, waste containers closed)?	<b>Yes / No</b>	
Are there any petroleum or hazardous materials on site, and if so, are there spill controls in place?	<b>Yes / No</b>	
<b>Review the site plan for sediment and erosion control requirements. Select "Pass" if structures are properly installed and functioning as required. Select "Fail" if contractor needs to make corrections or repairs and describe briefly repairs needed. Select "N/A" for "Not Applicable" if they do not apply at the site.</b>		
Catch Basin Protection	<b>Pass / Fail / NA</b>	
Silt Fence /Hay bales	<b>Pass / Fail / NA</b>	
Erosion Control Berm or Sock	<b>Pass / Fail / NA</b>	
Dust Control	<b>Pass / Fail / NA</b>	
Dewatering	<b>Pass / Fail / NA</b>	
Other: _____	<b>Pass / Fail / NA</b>	
Any Areas of Repeated Non-compliance that require MDEP Notification?	<b>Yes / No</b>	
Any other comments?		